

# NON-Hazardous, NON-Dangerous Goods

#### 1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: Bradford Thermoseal™, Thermofoil® and Thermoplast™ Insulation

Other name: Light Duty Facing (729), Light Duty Facing (731), Medium Duty Facing (730), Medium Duty Facing (735), Medium Duty Perforated (730P), Heavy Duty Facing (750), Heavy Duty Perforated (750P), Heavy Duty 756 Flexible Perforated, Acoustituff 125, Acoustituff 150 White, Acoustituff 150 Grey, Acoustituff 170 Grey, Medium Duty Sarking with Anti-glare (733), Heavy Duty Sarking with Anti-glare (753P), Heavy Duty Sarking with Anti-glare, Perforated (753P), Wall Wrap, Wall Breather (Class 2), Wall Wrap XP, Wall Wrap XP Plus, Breather Class 4, Breather Class 4 XP, Wall Wrap Prime, Resiwrap, Roof Metal Wall, Roof Tile, Roof Tile Plus, Decorative Facing Foil (990F-White), Decorative Facing Foil with Anti-glare (993F-White), Decorative Facing Foil with Anti-glare (993F-White), Decorative Facing Foil with Anti-glare (993-Black), Decorative Facing Foil with Anti-glare Perforated (993-Black).

**Recommended use:** Used as reflective insulation and sarking membranes in roofs, walls and floors of domestic, industrial and commercial buildings. Also used as individual membranes, or as facings for Glasswool and Rockwool blankets and batts.

Supplier: CSR Building Products Ltd

**ABN:** 55 008 631 356

Street Address: Triniti 3, 39 Delhi Road

North Ryde NSW 2113

Australia

**Telephone:** +61 2 9235 8000 (or 1800 807 668 within Australia)

Emergency Telephone number: 1300 369 448 (Bus Hrs, Mon-Fri, 8am-5pm, AEST)

# 2. HAZARDS IDENTIFICATION

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia GHS 7.

Poison Schedule: Unknown

#### DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

### 3. COMPOSITION INFORMATION

CHEMICAL ENTITY

CAS NO

PROPORTION

Ingredients determined to be Non-Hazardous

- 100 %

100%

Product Name: Bradford Thermoseal™, Thermofoil® and Reference No: CSR0006201

Thermoplast™ Insulation

Issued: 19 September 2024 Version: 2.1 Page 1 of 6



#### 4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

**Inhalation:** Not applicable as supplied.

Skin Contact: Not applicable as supplied.

**Eye contact:** If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion: Not applicable as supplied.

**PPE for First Aiders:** Wear gloves. Available information suggests that gloves made from leather should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Notes to physician: Treat symptomatically.

#### 5. FIRE FIGHTING MEASURES

Hazchem Code: Not applicable.

**Suitable extinguishing media:** If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Combustible material.

**Fire fighting further advice:** On burning or decomposing may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion or decomposition.

## 6. ACCIDENTAL RELEASE MEASURES

## **SMALL SPILLS**

Collect and seal in properly labelled containers or drums for disposal.

#### LARGE SPILLS

Collect and seal in properly labelled containers or drums for disposal.

Dangerous Goods - Initial Emergency Response Guide No: Not applicable

## 7. HANDLING AND STORAGE

Handling: Avoid eye contact and repeated or prolonged skin contact.

**Storage:** Store in original packing in cool dry environment, away from exposure to weather and foodstuffs. Do not allow to get wet. Avoid storing for long periods under UV light (direct sunlight). Ensure packages retain their original labels or are correctly re-labelled, protected from physical damage, and sealed when not in use.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Product Name: Bradford Thermoseal™, Thermofoil® and Reference No: CSR0006201

Thermoplast™ Insulation

Issued: 19 September 2024 Version: 2.1 Page 2 of 6



National occupational exposure limits: No value assigned for this specific material by Safe Work Australia.

**Biological Limit Values:** As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

Engineering Measures: Natural ventilation should be adequate under normal use conditions.

Personal Protection Equipment: GLOVES.

Personal protective equipment (PPE) must be suitable for the nature of the work and any hazard associated with the work as identified by the risk assessment conducted.

Wear gloves, especially when cutting product with knife. Available information suggests that gloves made from leather should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

**Hygiene measures:** Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of dust. Ensure that eyewash stations and safety showers are close to the workstation location.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Solid

Colour: Various colours Odour: Odourless

Solubility: Insoluble in water

**Specific Gravity:** N Av Relative Vapour Density (air=1): N App Vapour Pressure: N App Flash Point (°C): N App **Explosion/Flammability Limits:** N App Autoignition Temperature (°C): N App Melting Point/Range (°C): N App Boiling Point/Range (°C): N Av :Ha aaA N Viscosity: N App Total VOC (g/Litre): N Av

> (Typical values only - consult specification sheet) N Av = Not available, N App = Not applicable

#### 10. STABILITY AND REACTIVITY

Chemical stability: This material is thermally stable when stored and used as directed.

Conditions to avoid: Do heat above 120°C.

Incompatible materials: None known.

**Hazardous decomposition products:** Carbon dioxide, carbon monoxide, chlorine, hydrogen chloride, smoke and other toxic fumes.

Hazardous reactions: No known hazardous reactions.

Product Name: Bradford Thermoseal™, Thermofoil® and Reference No: CSR0006201

Thermoplast™ Insulation

Issued: 19 September 2024 Version: 2.1 Page 3 of 6



## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

#### **Acute Effects**

Inhalation: Not applicable as supplied.

Skin contact: Not applicable as supplied.

Ingestion: Not applicable as supplied.

Eye contact: Not applicable as supplied. May cause physical irritation to the eyes.

#### **Acute toxicity**

**Inhalation:** This material has been classified as not hazardous for acute inhalation exposure. Acute toxicity estimate (based on ingredients):  $LC_{50} > 5.0$  mg/L for dust.

**Skin contact:** This material has been classified as not hazardous for acute dermal exposure. Acute toxicity estimate (based on ingredients):  $LD_{50} > 2,000 \text{ mg/Kg}$  bw

**Ingestion:** This material has been classified as not hazardous for acute ingestion exposure. Acute toxicity estimate (based on ingredients):  $LD_{50} > 2,000 \text{ mg/Kg bw}$ 

**Corrosion/Irritancy:** Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as not corrosive or irritating to skin.

**Sensitisation:** Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as not an aspiration hazard.

**Specific target organ toxicity (single exposure):** This material has been classified as not a specific hazard to target organs by a single exposure.

# **Chronic Toxicity**

**Mutagenicity:** This material has been classified as not a mutagen.

**Carcinogenicity:** This material has been classified as not a carcinogen. If material is heated above 120°C, Antimony trioxide may be released which is a Category 2 Hazard.

**Reproductive toxicity (including via lactation):** This material has been classified as not a reproductive toxicant. If material is heated above 120°C, Chlorinated paraffin may be released which is toxic to reproduction, effects on or via lactation.

**Specific target organ toxicity (repeat exposure):** This material has been classified as not a specific hazard to target organs by repeat exposure.

Product Name: Bradford Thermoseal™, Thermofoil® and Reference No: CSR0006201
Thermoplast™ Insulation

Issued: 19 September 2024 Version: 2.1 Page 4 of 6



#### 12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

**Acute aquatic hazard:** This material has been classified as not hazardous for acute aquatic exposure. Acute toxicity estimate (based on ingredients): > 100 mg/L

**Long-term aquatic hazard:** This material has been classified as not hazardous for chronic aquatic exposure. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log  $K_{ow}$  < 4.

**Ecotoxicity:** No information available.

Persistence and degradability: No information available.

Bioaccumulative potential: No information available.

**Mobility:** No information available.

#### 13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

#### 14. TRANSPORT INFORMATION

## **ROAD AND RAIL TRANSPORT**

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

# **MARINE TRANSPORT**

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

## **AIR TRANSPORT**

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

## 15. REGULATORY INFORMATION

### This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)

The Stockholm Convention (Persistent Organic Pollutants)

The Rotterdam Convention (Prior Informed Consent)

Basel Convention (Hazardous Waste)

International Convention for the Prevention of Pollution from Ships (MARPOL)

# This material/constituent(s) is covered by the following requirements:

The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth): Unknown.

AICIS Status: All components of this product are listed on or exempt from the Australian Inventory of Industrial

Product Name: Bradford Thermoseal™, Thermofoil® and Reference No: CSR0006201

Thermoplast™ Insulation

Issued: 19 September 2024 Version: 2.1 Page 5 of 6



Chemicals (AIIC).

## **16. OTHER INFORMATION**

Reason for issue: Revised

This Safety Data Sheet has been prepared by Chemical Data Services Pty Ltd on behalf of its client.

Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

Product Name: Bradford Thermoseal™, Thermofoil® and Reference No: CSR0006201
Thermoplast™ Insulation

Issued: 19 September 2024 Version: 2.1 Page 6 of 6