

**EPA Licence Number:** 20938  
**Licensee Name:** PGH BRICKS & PAVERS PTY LIMITED  
**Licensee Address:** 253 Shaw St Springdale Heights  
**Link to Licence:** <https://app.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20938&id=20938&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued>  
**Type of Discharge Point:** Water quality discharge  
**Sampling Point Description:** Energy dissipator / level spreader at in-pit sed dam  
**Monitoring Frequency Required:** Prior to discharge    **No of Samples required Annually:** Dependent on discharge

Limit	50					21 June to 20 June
Sampling Point	TSS (mg/L)	Comment	Date Sampled	Date Obtained	Date Published	Annual Return Year
Monitored at point 3						

EPA Licence Number:

20938

Licensee Name:

PGH BRICKS & PAVERS PTY LIMITED

Licensee Address:

253 Shaw St Springdale Heights

Link to Licence:

<https://app.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20938&id=20938&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued>

Type of Discharge Point:

Dust monitoring

Sampling Point Description:

Southern Boundary of premises (house)

Monitoring Frequency Required:	Monthly	No of Samples required Annually:			12			
Limit	No Limit	Not required	Not required					21 June to 20 June
Sampling Point	Particulate Matter (Insoluble Solids) g/m2/month	Ash (For information only) g/m2/month	Combustible Matter (For information only) g/m2/month	Comment	Date Sampled	Date Obtained	Date Published	Annual Return Year
Point 4: DG2 Gate NE	2.4	2.1	0.3	Commencement of	19/07/2017	4/08/2017		2018
Point 4: DG2 Gate NE	0.5	0.3	0.2		16/08/2017	30/08/2017		2018
Point 4: DG2 Gate NE	1.6	1.2	0.4		20/09/2017	16/10/2017		2018
Point 4: DG2 Gate NE	0.8	0.4	0.4		22/10/2017	22/11/2017		2018
Point 4: DG2 Gate NE	0.9	0.5	0.4		22/11/2017	23/03/2017		2018
Point 4: DG2 Gate NE	2.1	1.2	0.9		4/12/2017	23/03/2017		2018
Point 4: DG2 Gate NE	2.2	1.7	0.5		8/04/2018	6/07/2018		2018
Point 4: DG2 Gate NE	0.8	0.5	0.3		15/05/2018	6/07/2018		2018
Point 4: DG2 Gate NE	2.7	1.4	1.3		9/01/2018	14/08/2018		2018
Point 4: DG2 Gate NE	0.9	0.5	0.4		15/05/2018	14/08/2018		2018
<b>Number of Samples</b>	<b>10</b>	<b>10</b>	<b>10</b>					2018
<b>Lowest Sample</b>	<b>0.5</b>	<b>0.3</b>	<b>0.2</b>					2018
<b>Mean of Sample</b>	<b>1.5</b>	<b>1.0</b>	<b>0.5</b>					2018
<b>Highest Sample</b>	<b>2.7</b>	<b>2.1</b>	<b>1.3</b>					2018
Point 4: DG2 Gate NE	1.2	0.9	0.3		27/07/2018	18/09/2018		2019
Point 4: DG2 Gate NE	0.9	0.8	0.1		25/08/2018	18/09/2018		2019
Point 4: DG2 House	2.8	2.2	0.6		25/09/2018	9/10/2018		2019
Point 4: DG2 House	4.7	2.5	2.2		24/10/2018	6/11/2018		2019
Point 4: DG2 House	4.3	3.4	0.9		22/11/2018	6/12/2018		2019
Point 4: DG2 House	13.5	7.7	5.8		19/12/2018	16/01/2019		2019
Point 4: DG2 House	4.2	3.5	0.7		16/01/2019	30/01/2019		2019
Point 4: DG2 House	6.4	4.4	2		13/02/2019	28/02/2019		2019
Point 4: DG2 House	4	3.7	0.3		14/03/2019	8/04/2019		2019
Point 4: DG2 House	9.2	4.9	4.3		11/04/2019	26/04/2019		2019

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12							21 June to 20 June
Limit	No Limit	Not required	Not required						
Sampling Point	Particulate Matter (Insoluble Solids) g/m2/month	Ash (For information only) g/m2/month	Combustible Matter (For information only) g/m2/month	Comment	Date Sampled	Date Obtained	Date Published	Annual Return Year	
Point 4: DG2 House	3.2	2.6	0.6		10/05/2019	27/05/2019		2019	
Point 4: DG2 House	18.2	16.1	2.1		5/06/2019	19/06/2019		2019	
<b>Number of Samples</b>	<b>12</b>	<b>12</b>	<b>12</b>					2019	
<b>Lowest Sample</b>	<b>0.9</b>	<b>0.8</b>	<b>0.1</b>					2019	
<b>Mean of Sample</b>	<b>6.1</b>	<b>4.4</b>	<b>1.7</b>					2019	
<b>Highest Sample</b>	<b>18.2</b>	<b>16.1</b>	<b>5.8</b>					2019	
Point 4: DG2 House	10.2	10.2	0	Bird droppings	3/07/2019	17/07/2019		2020	
Point 4: DG2 House	2.7	2.3	0.4		31/07/2019	15/08/2019		2020	
Point 4: DG2 House	3	2.2	0.8		26/08/2019	11/09/2019		2020	
Point 4: DG2 House	98.6	51	47.6	Bird droppings	25/09/2019	18/10/2019		2020	
Point 4: DG2 House	94	32.4	61.6	Bird droppings	25/10/2019	8/11/2019		2020	
Point 4: DG2 House	5.2	3.3	1.9	Bird droppings; bird deterrent installed	19/11/2019	6/12/2019		2020	
Point 4: DG2 House	2.2	1.7	0.5		18/12/2019	15/01/2020		2020	
Point 4: DG2 House	4.9	2.7	2.2	Bird droppings	17/01/2020	30/01/2020		2020	
Point 4: DG2 House	3.2	2.4	0.8		11/02/2020	26/02/2020		2020	
Point 4: DG2 House	1.3	0.9	0.4		13/03/2020	27/03/2020		2020	
Point 4: DG2 House	1.9	1.7	0.2		10/04/2020	29/04/2020		2020	
Point 4: DG2 House	2.4	1.8	0.6		6/05/2020	19/05/2020		2020	
Point 4: DG2 House	0.8	0.8	0		3/06/2020	17/06/2020		2020	
<b>Number of Samples</b>	<b>13</b>	<b>13</b>	<b>13</b>					2020	
<b>Lowest Sample</b>	<b>0.8</b>	<b>0.8</b>	<b>0</b>					2020	
<b>Mean of Sample</b>	<b>17.7</b>	<b>8.7</b>	<b>9.0</b>					2020	
<b>Highest Sample</b>	<b>98.6</b>	<b>51</b>	<b>61.6</b>					2020	
EPA 2 South House (20398-2)	0.8	0.7	0.1	renamed	2/07/2020	15/07/2020		2021	
EPA 2 South House (20398-2)	0.4	0.1	0.3		29/07/2020	13/08/2020		2021	
EPA 2 South House (20398-2)	0.7	0.5	0.2		24/08/2020	8/09/2020		2021	
EPA 2 South House (20398-2)	1.5	1.2	0.3		23/09/2020	8/10/2020		2021	
EPA 2 South House (20398-2)	1.3	0.8	0.5		20/10/2020	4/11/2020		2021	
EPA 2 South House (20398-2)	1.4	0.8	0.6		19/11/2020	2/12/2020		2021	
EPA 2 South House (20398-2)	3	1.5	1.5		21/12/2020	12/01/2021		2021	

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12							21 June to 20 June
Limit	No Limit	Not required	Not required						
Sampling Point	Particulate Matter (Insoluble Solids) g/m2/month	Ash (For information only) g/m2/month	Combustible Matter (For information only) g/m2/month	Comment	Date Sampled	Date Obtained	Date Published	Annual Return Year	
EPA 2 South House (20398-2)	7.5	3.9	3.6	broken funnel glass in sample	21/12/2020	29/01/2021		2021	
EPA 2 South House (20398-2)	1.8	1	0.8		9/02/2021	24/02/2021		2021	
EPA 2 South House (20398-2)	0.9	0.6	0.3		10/03/2021	25/03/2021		2021	
EPA 2 South House (20398-2)	1.3	1	0.3		8/04/2021	22/04/2021		2021	
EPA 2 South House (20398-2)	1.3	1.2	0.1		5/05/2021	20/05/2021		2021	
EPA 2 South House (20398-2)	1.9	1.5	0.4		2/06/2021	17/06/2021		2021	
<b>Number of Samples</b>	<b>13</b>	<b>13</b>	<b>13</b>					2021	
<b>Lowest Sample</b>	<b>0.4</b>	<b>0.1</b>	<b>0.1</b>					2021	
<b>Mean of Sample</b>	<b>1.8</b>	<b>1.1</b>	<b>0.7</b>					2021	
<b>Highest Sample</b>	<b>7.5</b>	<b>3.9</b>	<b>3.6</b>					2021	
EPA 2 South House (20398-2)	0.6	0.5	0.1		1/07/2021	12/07/2021		2022	
EPA 2 South House (20398-2)	0.8	0.6	0.2		28/07/2021	11/08/2021		2022	
EPA 2 South House (20398-2)	1.5	0.8	0.7		25/08/2021	7/09/2021		2022	
EPA 2 South House (20398-2)	0.5	0.3	0.2		22/09/2021	6/10/2021		2022	
EPA 2 South House (20398-2)	0.4	0.3	0.1		21/10/2021	2/11/2021		2022	
EPA 2 South House (20398-2)	0.5	0.4	0.1		17/11/2021	2/12/2021		2022	
EPA 2 South House (20398-2)	0.8	0.6	0.2		15/12/2021	17/01/2022		2022	
EPA 2 South House (20398-2)	1.1	0.7	0.4		21/01/2022	31/01/2022		2022	
EPA 2 South House (20398-2)	1.4	0.7	0.7		9/02/2022	25/02/2022		2022	
EPA 2 South House (20398-2)	1	0.8	0.2		10/03/2022	1/04/2022		2022	
EPA 2 South House (20398-2)	9.9	1.6	8.3		8/04/2022	27/04/2022		2022	
EPA 2 South House (20398-2)	7.3	3	4.3		5/05/2022	18/05/2022		2022	
EPA 2 South House (20398-2)	1.9	1.8	0.1		1/06/2022	20/06/2022		2022	
<b>Number of Samples</b>	<b>13</b>	<b>13</b>	<b>13</b>					2022	
<b>Lowest Sample</b>	<b>0.4</b>	<b>0.3</b>	<b>0.1</b>					2022	
<b>Mean of Sample</b>	<b>2.1</b>	<b>0.9</b>	<b>1.2</b>					2022	
<b>Highest Sample</b>	<b>9.9</b>	<b>3</b>	<b>8.3</b>					2022	
EPA 2 South House (20398-2)	0.6	0.6	0		30/06/2022	19/07/2022		2023	
EPA 2 South House (20398-2)	2.7	2.1	0.6		27/07/2022	15/08/2022		2023	
EPA 2 South House (20398-2)	0.9	0.7	0.2		23/08/2022	6/09/2022		2023	

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12							21 June to 20 June
Limit	No Limit	Not required	Not required						
Sampling Point	Particulate Matter (Insoluble Solids) g/m2/month	Ash (For information only) g/m2/month	Combustible Matter (For information only) g/m2/month	Comment	Date Sampled	Date Obtained	Date Published	Annual Return Year	
EPA 2 South House (20398-2)	0.6	0.3	0.3		22/09/2022	7/10/2022		2023	
EPA 2 South House (20398-2)	1.6	1.2	0.4		20/10/2022	2/11/2022		2023	
EPA 2 South House (20398-2)	0.6	0.2	0.4		16/11/2022	8/12/2022		2023	
EPA 2 South House (20398-2)	0.9	0.5	0.4		14/12/2022	22/12/2022		2023	
EPA 2 South House (20398-2)	1.3	0.7	0.6		13/01/2023	30/01/2023		2023	
EPA 2 South House (20398-2)	2.1	0.9	1.2		9/02/2023	3/03/2023		2023	
EPA 2 South House (20398-2)	8.6	1.6	7.0		7/03/2023	29/03/2023		2023	
EPA 2 South House (20398-2)	3.1	2	1.1		5/04/2023	27/04/2023		2023	
EPA 2 South House (20398-2)	1.2	0.8	0.4		3/05/2023	23/05/2023		2023	
EPA 2 South House (20398-2)	0.8	0.6	0.2		31/05/2023	14/06/2023		2023	
<b>Number of Samples</b>	<b>13</b>	<b>13</b>	<b>13</b>					2023	
<b>Lowest Sample</b>	<b>0.6</b>	<b>0.2</b>	<b>0</b>					2023	
<b>Mean of Sample</b>	<b>1.9</b>	<b>0.9</b>	<b>1.0</b>					2023	
<b>Highest Sample</b>	<b>8.6</b>	<b>2.1</b>	<b>7</b>					2023	
EPA 2 South House (20398-2)	0.9	0.5	0.4		29/06/2023	14/07/2023		2024	
EPA 2 South House (20398-2)	0.3	0	0.3		27/07/2023	16/08/2023		2024	
EPA 2 South House (20398-2)	0.6	0.2	0.4		22/08/2023	4/09/2023		2024	
EPA 2 South House (20398-2)	4.2	2.7	1.5		20/09/2023	10/10/2023		2024	
EPA 2 South House (20398-2)	0.8	0.6	0.2		19/10/2023	8/11/2023		2024	
EPA 2 South House (20398-2)	0.6	0.4	0.2		15/11/2023	6/12/2023		2024	
EPA 2 South House (20398-2)	1	0.6	0.4		12/12/2023	11/01/2024		2024	
EPA 2 South House (20398-2)	2.4	0.6	1.8		12/01/2024	14/02/224		2024	
EPA 2 South House (20398-2)	9.2	3.4	5.8		9/02/2024	11/03/2024		2024	
EPA 2 South House (20398-2)	1.9	0.7	1.2		8/03/2024	22/03/2024		2024	
EPA 2 South House (20398-2)	21.4	5.1	16.3		2/04/2024	26/04/2024		2024	
EPA 2 South House (20398-2)	5	4.1	0.9		3/05/2024	27/05/2024		2024	
EPA 2 South House (20398-2)	0.4	0.1	0.3		29/05/2024	18/06/2024		2024	
<b>Number of Samples</b>	<b>13</b>	<b>13</b>	<b>13</b>					2024	
<b>Lowest Sample</b>	<b>0.3</b>	<b>0</b>	<b>0.2</b>					2024	
<b>Mean of Sample</b>	<b>3.7</b>	<b>1.5</b>	<b>2.3</b>					2024	
<b>Highest Sample</b>	<b>21.4</b>	<b>5.1</b>	<b>16.3</b>					2024	

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12							21 June to 20 June
Limit	No Limit	Not required	Not required						
Sampling Point	Particulate Matter (Insoluble Solids) g/m2/month	Ash (For information only) g/m2/month	Combustible Matter (For information only) g/m2/month	Comment	Date Sampled	Date Obtained	Date Published	Annual Return Year	
EPA 2 South House (20398-2)	3.4	2.8	0.6		26/06/2024	16/07/2024		2025	
EPA 2 South House (20398-2)	1.2	0.9	0.3		25/07/2024	12/08/2024		2025	
EPA 2 South House (20398-2)	1.7	0.9	0.8		22/08/2024	11/09/2024		2025	
EPA 2 South House (20398-2)	1.7	0.5	1.2		18/09/2024	22/10/2024		2025	
EPA 2 South House (20398-2)	0.5	0.4	0.1		22/10/2024	13/11/2024		2025	
EPA 2 South House (20398-2)	2.2	2.2	0.8		13/11/2024	17/12/2024		2025	
EPA 2 South House (20398-2)	1.3	0.7	0.6		13/12/2024	23/01/2025		2025	
EPA 2 South House (20398-2)	0.9	0.7	0.2		10/01/2025	23/01/2025		2025	
EPA 2 South House (20398-2)	0.9	0.6	0.3		5/02/2025	17/02/2025		2025	
EPA 2 South House (20398-2)	1.4	1.1	0.3		6/03/2025	4/04/2025		2025	
EPA 2 South House (20398-2)	2.7	1.4	1.3		2/04/2025	17/04/2025		2025	
EPA 2 South House (20398-2)	7.3	3	4.3		2/05/2025	16/05/2025		2025	
EPA 2 South House (20398-2)	2.4	2.1	0.3		28/05/2025	10/06/2025		2025	
<b>Number of Samples</b>	<b>13</b>	<b>13</b>	<b>13</b>					2025	
<b>Lowest Sample</b>	<b>0.5</b>	<b>0.4</b>	<b>0.1</b>					2025	
<b>Mean of Sample</b>	<b>2.1</b>	<b>1.3</b>	<b>0.9</b>					2025	
<b>Highest Sample</b>	<b>7.3</b>	<b>3</b>	<b>4.3</b>					2025	
EPA 2 South House (20398-2)	1	0.8	0.2		25/06/2025	10/07/2025		2026	
EPA 2 South House (20398-2)	0.4	0.3	0.1		23/07/2025	7/08/2025		2026	
EPA 2 South House (20398-2)	1.1	0.7	0.4		20/08/2025	17/09/2025		2026	
EPA 2 South House (20398-2)	1	0.6	0.4		17/09/2025	21/10/2025		2026	
EPA 2 South House (20398-2)	0.3	0.2	0.1		15/10/2025	12/11/2025		2026	
EPA 2 South House (20398-2)	0.4	0.3	0.1		12/11/2025	9/12/2025		2026	
EPA 2 South House (20398-2)	0.4	0.4	<0.1		12/12/2025	12/01/2026		2026	
EPA 2 South House (20398-2)	0.4	0.4	<0.1		7/01/2026	14/01/2026		2026	
EPA 2 South House (20398-2)	0.7	0.4	0.3		4/02/2026	18/02/2026		2026	
EPA 2 South House (20398-2)	1.3	1	0.3		7/03/2026	27/03/2026		2026	
EPA 2 South House (20398-2)	2.8	0.9	1.9		3/04/2026	20/04/2026		2026	
EPA 2 South House (20398-2)	0.5	0.5	<0.1		2/05/2026	15/05/2026		2026	
EPA 2 South House (20398-2)								2026	
<b>Number of Samples</b>	<b>12</b>	<b>12</b>	<b>12</b>					2026	

Monitoring Frequency Required:		Monthly	No of Samples required Annually:		12			
Limit	No Limit	Not required	Not required					21 June to 20 June
Sampling Point	Particulate Matter (Insoluble Solids) g/m2/month	Ash (For information only) g/m2/month	Combustible Matter (For information only) g/m2/month	Comment	Date Sampled	Date Obtained	Date Published	Annual Return Year
Lowest Sample	0.3	0.2	0					2026
Mean of Sample	0.9	0.5	0.3					2026
Highest Sample	2.8	1	1.9					2026

**EPA Licence Number:** 20938  
**Licensee Name:** PGH BRICKS & PAVERS PTY LIMITED  
**Licensee Address:** 253 Shaw St Springdale Heights  
**Link to Licence:** <https://app.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20938&id=20938&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued>  
**Type of Discharge Point:** Monitoring prior to discharge  
**Sampling Point Description:** In-pit sedimentation dam  
**Monitoring Frequency Required:** Prior to discharge    **No of Samples required Annually:** Dependent on discharge

Limit	50					21 June to 20 June
Sampling Point	TSS (mg/L)	Comment	Date Sampled	Date Obtained	Date Published	Annual Return Year
Monitoring Point 3						2018

No discharges have occurred

EPA Licence Number:

20938

Licensee Name:

PGH BRICKS & PAVERS PTY LIMITED

Licensee Address:

253 Shaw St Springdale Heights

Link to Licence:

<https://app.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20938&id=20938&option=licence&searchrange=licence&range=POEO%20licenc e&prp=no&status=Issued>

Type of Discharge Point:

Dust monitoring

Sampling Point Description:

North-east boundary of premises (gate)

Monitoring Frequency Required:	Monthly	No of Samples required Annually:			12			
Limit	4	Not required	Not required					21 June to 20 June
Sampling Point	Particulate Matter (Insoluble Solids) g/m2/month	Ash (For information only) g/m2/month	Combustible Matter (For information only) g/m2/month	Comment	Date Sampled	Date Obtained	Date Published	Annual Return Year
Point 2 DG1: House South	2.8	2.4	0.4	Commencement of	19/07/2017	4/08/2017		2018
Point 2 DG1: House South	1.0	0.8	0.2		16/08/2017	30/08/2017		2018
Point 2 DG1: House South	1.3	0.9	0.4		20/09/2017	16/10/2017		2018
Point 2 DG1: House South	0.9	0.7	0.2		22/10/2017	22/11/2017		2018
Point 2 DG1: House South	0.8	0.4	0.4		22/11/2017	23/03/2017		2018
Point 2 DG1: House South	2.3	1.4	0.9		4/12/2017	23/03/2017		2018
Point 2 DG1: House South	4.7	3.7	1		8/04/2018	6/07/2018		2018
Point 2 DG1: House South	1	0.6	0.4		15/05/2018	6/07/2018		2018
Point 2 DG1: House South	2.2	1.8	0.4		28/02/2018	14/08/2018		2018
Point 2 DG1: House South	1.5	1.2	0.3		25/06/2018	14/08/2018		2018
<b>Number of Samples</b>	<b>10</b>	<b>10</b>	<b>10</b>					2018
<b>Lowest Sample</b>	<b>0.8</b>	<b>0.4</b>	<b>0.2</b>					2018
<b>Mean of Sample</b>	<b>1.9</b>	<b>1.4</b>	<b>0.5</b>					2018
<b>Highest Sample</b>	<b>4.7</b>	<b>3.7</b>	<b>1</b>					2018
Point 2 DG1: House South	1.3	1	0.3		27/07/2018	18/09/2018		2019
Point 2 DG1: House South	1.3	1	0.3		25/08/2018	18/09/2018		2019
Point 2 DG1: Gate	2.9	2.2	0.7		25/09/2018	9/10/2018		2019
Point 2 DG1: Gate	0.6	0.4	0.2		24/10/2018	6/11/2018		2019
Point 2 DG1: Gate	3.6	3.2	0.4		22/11/2018	6/12/2018		2019
Point 2 DG1: Gate	2.5	2	0.5		19/12/2018	16/01/2019		2019
Point 2 DG1: Gate	3.3	2.7	0.6		16/01/2019	30/01/2019		2019
Point 2 DG1: Gate	2.2	1.8	0.4		13/02/2019	28/02/2019		2019

Monitoring Frequency Required:		Monthly		No of Samples required Annually:		12		
Limit	4	Not required	Not required					21 June to 20 June
Sampling Point	Particulate Matter (Insoluble Solids) g/m2/month	Ash (For information only) g/m2/month	Combustible Matter (For information only) g/m2/month	Comment	Date Sampled	Date Obtained	Date Published	Annual Return Year
Point 2 DG1: Gate	2.3	2	0.3		14/03/2019	8/04/2019		2019
Point 2 DG1: Gate	3	2.4	0.6		11/04/2018	26/04/2019		2019
Point 2 DG1: Gate	1.6	1.2	0.4		10/05/2019	27/05/2019		2019
Point 2 DG1: Gate	1.6	0.6	1		5/06/2019	19/06/2019		2019
<b>Number of Samples</b>	<b>12</b>	<b>12</b>	<b>12</b>					2019
<b>Lowest Sample</b>	<b>0.6</b>	<b>0.4</b>	<b>0.2</b>					2019
<b>Mean of Sample</b>	<b>2.2</b>	<b>1.7</b>	<b>0.5</b>					2019
<b>Highest Sample</b>	<b>3.6</b>	<b>3.2</b>	<b>1</b>					2019
Point 2 DG1: Gate	0.5	0.4	0.1		2/07/2019	17/07/2019		2020
Point 2 DG1: Gate	0.6	0.4	0.2		31/07/2019	15/08/2019		2020
Point 2 DG1: Gate	0.8	0.5	0.3		26/08/2019	11/09/2019		2020
Point 2 DG1: Gate	1.5	0.8	0.7		25/09/2019	18/10/2019		2020
Point 2 DG1: Gate	2.9	2.4	0.5		25/10/2019	8/11/2019		2020
Point 2 DG1: Gate	3.7	2.9	0.8		19/11/2019	6/12/2019		2020
Point 2 DG1: Gate	3.3	2.6	0.7		18/12/2019	15/01/2019		2020
Point 2 DG1: Gate	2.3	1.8	0.5		17/01/2020	30/01/2020		2020
Point 2 DG1: Gate	3.3	2.8	0.5		11/02/2020	26/02/2020		2020
Point 2 DG1: Gate	1.7	1.3	0.4		13/03/2020	27/03/2020		2020
Point 2 DG1: Gate	1.2	0.9	0.3		10/04/2020	29/04/2020		2020
Point 2 DG1: Gate	1	0.7	0.3		6/05/2020	19/05/2020		2020
Point 2 DG1: Gate	0.6	0.6	0		3/06/2020	17/06/2020		2020
<b>Number of Samples</b>	<b>13</b>	<b>13</b>	<b>13</b>					2020
<b>Lowest Sample</b>	<b>0.5</b>	<b>0.4</b>	<b>0</b>					2020
<b>Mean of Sample</b>	<b>1.8</b>	<b>1.4</b>	<b>0.4</b>					2020
<b>Highest Sample</b>	<b>3.7</b>	<b>2.9</b>	<b>0.8</b>					2020
EPA 4 North Gate (20398-4)	0.1	0.1	<0.1	renamed	2/07/2020	15/07/2020		2021
EPA 4 North Gate (20398-4)	0.1	<0.1	0.1		29/07/2020	13/08/2020		2021
EPA 4 North Gate (20398-4)	0.8	0.7	0.1		24/08/2020	8/09/2020		2021
EPA 4 North Gate (20398-4)	1.3	0.7	0.6		23/09/2020	8/10/2020		2021

Monitoring Frequency Required:		Monthly		No of Samples required Annually:		12		
Limit	4	Not required	Not required					21 June to 20 June
Sampling Point	Particulate Matter (Insoluble Solids) g/m2/month	Ash (For information only) g/m2/month	Combustible Matter (For information only) g/m2/month	Comment	Date Sampled	Date Obtained	Date Published	Annual Return Year
EPA 4 North Gate (20398-4)	0.9	0.7	0.2		20/10/2020	4/11/2020		2021
EPA 4 North Gate (20398-4)	1.2	0.8	0.4		19/11/2020	2/12/2020		2021
EPA 4 North Gate (20398-4)	1.5	1	0.5		21/12/2020	12/01/2021		2021
EPA 4 North Gate (20398-4)	1.4	0.9	0.5		21/12/2021	29/01/2021		2021
EPA 4 North Gate (20398-4)	1.9	1.5	0.4		9/02/2021	24/02/2021		2021
EPA 4 North Gate (20398-4)	1	0.8	0.2		10/03/2021	25/03/2021		2021
EPA 4 North Gate (20398-4)	0.6	0.5	0.1		8/04/2021	22/04/2021		2021
EPA 4 North Gate (20398-4)	1.3	1.1	0.2		5/05/2021	20/05/2021		2021
EPA 4 North Gate (20398-4)	1.5	0.9	0.6		2/06/2021	17/06/2021		2021
<b>Number of Samples</b>	<b>13</b>	<b>13</b>	<b>13</b>					2021
<b>Lowest Sample</b>	<b>0.1</b>	<b>0</b>	<b>0</b>					2021
<b>Mean of Sample</b>	<b>1.0</b>	<b>0.7</b>	<b>0.3</b>					2021
<b>Highest Sample</b>	<b>1.9</b>	<b>1.5</b>	<b>0.6</b>					2021
EPA 4 North Gate (20398-4)	0.1	0.1	<0.1		1/07/2021	12/07/2021		2022
EPA 4 North Gate (20398-4)	0.4	0.3	0.1		28/07/2021	11/08/2021		2022
EPA 4 North Gate (20398-4)	0.6	0.4	0.2		25/08/2021	7/09/2021		2022
EPA 4 North Gate (20398-4)	0.5	0.3	0.2		22/09/2021	6/10/2021		2022
EPA 4 North Gate (20398-4)	0.4	0.2	0.2		21/10/2021	2/11/2021		2022
EPA 4 North Gate (20398-4)	1.3	0.6	0.7		17/11/2021	2/12/2021		2022
EPA 4 North Gate (20398-4)	1.8	1.2	0.6		15/12/2021	17/01/2022		2022
EPA 4 North Gate (20398-4)	1.5	0.8	0.7		12/01/2022	31/01/2022		2022
EPA 4 North Gate (20398-4)	0.9	0.8	0.1		10/03/2022	1/04/2022		2022
EPA 4 North Gate (20398-4)	2.2	1.1	1.1		8/04/2022	27/04/2022		2022
EPA 4 North Gate (20398-4)	0.6	0.4	0.2		5/05/2022	18/05/2022		2022
EPA 4 North Gate (20398-4)	0.2	0.2	0		1/06/2022	20/06/2022		2022
<b>Number of Samples</b>	<b>12</b>	<b>12</b>	<b>12</b>					2022
<b>Lowest Sample</b>	<b>0.1</b>	<b>0.1</b>	<b>0</b>					2022
<b>Mean of Sample</b>	<b>0.9</b>	<b>0.5</b>	<b>0.3</b>					2022
<b>Highest Sample</b>	<b>2.2</b>	<b>1.2</b>	<b>1.1</b>					2022

Monitoring Frequency Required:		Monthly		No of Samples required Annually:		12		
Limit	4	Not required	Not required					21 June to 20 June
Sampling Point	Particulate Matter (Insoluble Solids) g/m2/month	Ash (For information only) g/m2/month	Combustible Matter (For information only) g/m2/month	Comment	Date Sampled	Date Obtained	Date Published	Annual Return Year
EPA 4 North Gate (20398-4)	0.2	0.2	0		30/06/2022	19/07/2022		2023
EPA 4 North Gate (20398-4)	0.4	0.1	0.3		27/07/2022	16/08/2022		2023
EPA 4 North Gate (20398-4)	0.2	0.1	0.1		23/08/2022	6/09/2022		2023
EPA 4 North Gate (20398-4)	0.4	0.1	0.3		22/09/2022	7/10/2022		2023
EPA 4 North Gate (20398-4)	1.1	0.6	0.4		20/10/2022	2/11/2022		2023
EPA 4 North Gate (20398-4)	1.5	0.5	1		16/11/2022	8/12/2022		2023
EPA 4 North Gate (20398-4)	1.2	0.8	0.4		14/12/2022	22/12/2022		2023
EPA 4 North Gate (20398-4)	1.4	0.7	0.7		13/01/2023	30/01/2023		2023
EPA 4 North Gate (20398-4)	1.2	0.7	0.5		9/02/2023	3/03/2023		2023
EPA 4 North Gate (20398-4)	1.1	0.6	0.5		5/04/2023	27/04/2023		2023
EPA 4 North Gate (20398-4)	0.8	0.5	0.3		3/05/2023	23/05/2023		2023
EPA 4 North Gate (20398-4)	0.5	0.2	0.3		31/05/2023	14/06/2023		2023
<b>Number of Samples</b>	<b>12</b>	<b>12</b>	<b>12</b>					2023
<b>Lowest Sample</b>	<b>0.2</b>	<b>0.1</b>	<b>0</b>					2023
<b>Mean of Sample</b>	<b>0.8</b>	<b>0.4</b>	<b>0.4</b>					2023
<b>Highest Sample</b>	<b>1.5</b>	<b>0.8</b>	<b>1</b>					2023
EPA 4 North Gate (20398-4)	0.4	0	0.4		29/06/2023	14/07/2023		2024
EPA 4 North Gate (20398-4)	0.2	0	0.2		27/07/2023	16/08/2023		2024
EPA 4 North Gate (20398-4)	0.4	0.2	0.2		22/08/2023	4/09/2023		2024
EPA 4 North Gate (20398-4)	0.5	0.2	0.3		20/09/2023	10/10/2023		2024
EPA 4 North Gate (20398-4)	0.5	0.4	0.1		19/10/2023	8/11/2023		2024
EPA 4 North Gate (20398-4)	0.3	0.2	0.1		15/11/2023	6/12/2023		2024
EPA 4 North Gate (20398-4)	1.2	0.8	0.4		12/12/2023	11/01/2024		2024
EPA 4 North Gate (20398-4)	1.3	0.6	0.7		12/01/2024	14/02/2024		2024
EPA 4 North Gate (20398-4)	0.7	0.4	0.3		9/02/2024	11/03/2024		2024
EPA 4 North Gate (20398-4)	1.3	0.7	0.6		8/03/2024	22/03/2024		2024
EPA 4 North Gate (20398-4)	2.5	1.6	0.9		2/04/2024	26/04/2024		2024
EPA 4 North Gate (20398-4)	0.4	0.2	0.2		3/05/2024	27/05/2024		2024
EPA 4 North Gate (20398-4)	0.9	0.6	0.3		29/05/2024	18/06/2024		2024

Monitoring Frequency Required:		Monthly	No of Samples required Annually:		12			
Limit	4	Not required	Not required					21 June to 20 June
Sampling Point	Particulate Matter (Insoluble Solids) g/m2/month	Ash (For information only) g/m2/month	Combustible Matter (For information only) g/m2/month	Comment	Date Sampled	Date Obtained	Date Published	Annual Return Year
<b>Number of Samples</b>	<b>13</b>	<b>13</b>	<b>13</b>					2024
<b>Lowest Sample</b>	<b>0.2</b>	<b>0</b>	<b>0.1</b>					2024
<b>Mean of Sample</b>	<b>0.8</b>	<b>0.5</b>	<b>0.4</b>					2024
<b>Highest Sample</b>	<b>2.5</b>	<b>1.6</b>	<b>0.9</b>					2024
EPA 4 North Gate (20398-4)	1	0.6	0.4		26/06/2024	16/07/2024		2025
EPA 4 North Gate (20398-4)	0.4	0.2	0.2		25/07/2024	12/08/2024		2025
EPA 4 North Gate (20398-4)	0.6	0.4	0.2		22/08/2024	11/09/2024		2025
EPA 4 North Gate (20398-4)	1.3	0.6	0.7		18/09/2024	22/10/2024		2025
EPA 4 North Gate (20398-4)	0.4	<0.1	0.4		22/10/2024	13/11/2024		2025
EPA 4 North Gate (20398-4)	1.1	0.5	0.6		13/11/2024	17/12/2024		2025
EPA 4 North Gate (20398-4)	3.4	2.2	1.2		13/12/2024	23/01/2025		2025
EPA 4 North Gate (20398-4)	1.6	0.8	0.8		10/01/2025	23/01/2025		2025
EPA 4 North Gate (20398-4)	1.2	0.7	0.5		5/02/2025	17/02/2025		2025
EPA 4 North Gate (20398-4)	2.3	1.7	0.6		6/03/2025	4/04/2025		2025
EPA 4 North Gate (20398-4)	0.8	0.7	0.1		2/04/2025	17/04/2025		2025
EPA 4 North Gate (20398-4)	2.6	1	1.6		2/05/2025	16/05/2025		2025
EPA 4 North Gate (20398-4)	1.5	1.1	0.4		28/05/2025	10/06/2025		2025
<b>Number of Samples</b>	<b>13</b>	<b>13</b>	<b>13</b>					2025
<b>Lowest Sample</b>	<b>0.4</b>	<b>0</b>	<b>0.1</b>					2025
<b>Mean of Sample</b>	<b>1.4</b>	<b>0.8</b>	<b>0.6</b>					2025
<b>Highest Sample</b>	<b>3.4</b>	<b>2.2</b>	<b>1.6</b>					2025
EPA 4 North Gate (20398-4)	0.7	0.5	0.2		25/06/2025	10/07/2025		2026
EPA 4 North Gate (20398-4)	0.6	0.4	0.2		3/07/2025	7/08/2025		2026
EPA 4 North Gate (20398-4)	0.4	<0.1	0.4		20/08/2025	17/09/2025		2026
EPA 4 North Gate (20398-4)	1.5	1.4	0.1		17/09/2025	21/10/2025		2026
EPA 4 North Gate (20398-4)	0.4	0.3	0.1		15/10/2025	12/11/2025		2026
EPA 4 North Gate (20398-4)	0.5	0.3	0.2		12/11/2025	9/12/2025		2026
EPA 4 North Gate (20398-4)	1.2	0.5	0.7		12/12/2025	12/01/2026		2026
EPA 4 North Gate (20398-4)	0.8	0.5	0.3		7/01/2026	14/01/2026		2026

Monitoring Frequency Required:		Monthly	No of Samples required Annually:		12			
Limit	4	Not required	Not required					21 June to 20 June
Sampling Point	Particulate Matter (Insoluble Solids) g/m2/month	Ash (For information only) g/m2/month	Combustible Matter (For information only) g/m2/month	Comment	Date Sampled	Date Obtained	Date Published	Annual Return Year
EPA 4 North Gate (20398-4)	1	0.7	0.3		4/02/2026	18/02/2026		2026
EPA 4 North Gate (20398-4)	1.4	1	0.4		7/03/2026	27/03/2026		2026
EPA 4 North Gate (20398-4)	0.8	0.5	0.3		3/04/2026	20/04/2026		2026
EPA 4 North Gate (20398-4)	0.3	0.3	<0.1		2/05/2026	15/05/2026		2026
EPA 4 North Gate (20398-4)								2026
<b>Number of Samples</b>	<b>12</b>	<b>12</b>	<b>12</b>					2026
<b>Lowest Sample</b>	<b>0.3</b>	<b>0</b>	<b>0</b>					2026
<b>Mean of Sample</b>	<b>0.8</b>	<b>0.5</b>	<b>0.3</b>					2026
<b>Highest Sample</b>	<b>1.5</b>	<b>1.4</b>	<b>0.7</b>					2026