

EPA Licence Number: 1027 Conditions updated 1/8/2017
Licensee Name: PGH Bricks & Pavers Pty Limited
Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178
Link to Licence: <https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=120641&SYSUID=1&LICID=1027>
Type of Discharge Point: Discharge to utilisation
 Bund wall west of the Brickworks Plant as shown on drawing titled "Zacubra Brickworks and Quarry Landscape and Rehabilitation Plan" submitted to the EPA with Licence Information Form dated 25/01/00
Sampling Point Description:
Monitoring Frequency Required: Daily during any discharge measured at Point 2
Volume Limit 35 KL / week

Date	Reading	Effluent Generated (kL)	Days	Average kL per day
19-Feb-18	687			
05-Mar-18	744	57	14	4.07
02-Apr-18	848	104	28	3.71
16-Apr-18	895	47	14	3.36
07-May-18	972	77	21	3.67
19-May-18	1021	49	12	4.08
03-Sep-18	1398	377	107	3.52
11-Sep-18	1419	21	8	2.63
17-Sep-18	1438	19	6	3.17
25-Sep-18	1464	26	8	3.25
01-Oct-18	1485	21	6	3.50
16-Oct-18	1528	43	15	2.87
22-Oct-18	1547	19	6	3.17
31-Oct-18	1573	26	9	2.89
06-Nov-18	1594	21	6	3.50
04-Dec-18	1713	119	28	4.25
13-Dec-18	1747	34	9	3.78
18-Dec-18	1760	13	5	2.60
24-Dec-18	1760	0	6	0.00

01-Jan-19	1760	0	8	0.00
05-Jan-19	1760	0	4	0.00
21-Jan-19	1796	36	16	2.25
26-Jan-19	1817	21	5	4.20
10-Feb-19	1861	44	15	2.93
15-Feb-19	1861	0	5	0.00
25-Feb-19	1903	42	10	4.20
2019 Annual Return Year	total	1216	371	3.28

Average kL per week
23.4

Number of measurements made	25
Lowest Result	0.00
Mean Result	2.86
Highest Result	4.25

Date	Reading	Effluent Generated (kL)	Days	Average kL per day
25-Feb-19	1903			
20-Mar-19	1969	66	23	2.87
03-Apr-19	2007	38	14	2.71
09-Apr-19	2030	23	6	3.83
17-Apr-19	2050	20	8	2.50
26-Apr-19	2064	14	9	1.56
28-May-19	2155	91	32	2.84
04-Jun-19	2170	15	7	2.14
13-Jun-19	2196	26	9	2.89
02-Jul-19	2257	61	19	3.21
08-Jul-19	2272	15	6	2.50
15-Jul-19	2294	22	7	3.14
23-Jul-19	2310	16	8	2.00
30-Jul-19	2326	16	7	2.29
03-Aug-19	2337	11	4	2.75
14-Aug-19	2353	16	11	1.45
19-Aug-19	2366	13	5	2.60

12-Mar-22	2831600	35	7	5.00
19-Mar-22	2865900	34.3	7	4.90
26-Mar-22	2869900	4	7	0.57
02-Apr-22	2889100	19.2	7	2.74
03-Apr-22			1	0.00
09-Apr-22		0.2	6	0.03
16-Apr-22		1.4	7	0.20
23-Apr-22		12.5	7	1.79
30-Apr-22		34.3	7	4.90
07-May-22		6.8	7	0.97
14-May-22		30	7	4.29
21-May-22		0	7	0.00
28-May-22		30	7	4.29
04-Jun-22	3017600	13.3	7	1.90
11-Jun-22	3034400	16.8	7	2.40
18-Jun-22	3065600	31.2	7	4.46
25-Jun-22	3071200	5.6	7	0.80
02-Jul-22	3101100	29.9	7	4.27
09-Jul-22	3101100	0	7	0.00
16-Jul-22	3131600	30.5	7	4.36
23-Jul-22	3132100	0.5	7	0.07
30-Jul-22	3162000	29.9	7	4.27
06-Aug-22	3162000	0	7	0.00
13-Aug-22	3196300	34.3	7	4.90
20-Aug-22	3230600	34.3	7	4.90
27-Aug-22	3253100	22.5	7	3.21
03-Sep-22	3265000	11.9	7	1.70
10-Sep-22	3267200	2.2	7	0.31
17-Sep-22	3281800	14.6	7	2.09
24-Sep-22	3282200	0.4	7	0.06
01-Oct-22	3316500	34.3	7	4.90
08-Oct-22	3338800	22.3	7	3.19
15-Oct-22	3357500	18.7	7	2.67

22-Oct-22	3372500	15	7	2.14
29-Oct-22	3390700	18.2	7	2.60
05-Nov-22	3407100	16.4	7	2.34
12-Nov-22	3424300	17.2	7	2.46
19-Nov-22	3441000	16.7	7	2.39
26-Nov-22	3448300	7.3	7	1.04
03-Dec-22	3457100	8.8	7	1.26
10-Dec-22	3489100	32	7	4.57
17-Dec-22	3505300	16.2	7	2.31
24-Dec-22	3520500	15.2	7	2.17
31-Dec-22	3526800	6.3	7	0.90
07-Jan-23	3542800	16	7	2.29
14-Jan-23	3548800	6	7	0.86
21-Jan-23	3571800	23	7	3.29
28-Jan-23	3587900	16.1	7	2.30
04-Feb-23	3587900	0	7	0.00
11-Feb-23	3587900	0	7	0.00
18-Feb-23	3621400	33.5	7	4.79
25-Feb-23	3650600	29.2	7	4.17

Average kL per week
17.1

2023 Annual Return Year	total	890.4	371	2.40
		Number of measurements made		54
		Lowest Result		0.00
		Mean Result		2.36
		Highest Result		5.00

Date	Reading	Effluent Generated (kL)	Days	Average kL per day
24-Feb-24	4472500			
02-Mar-24	4486600	14.1	7	2.01
09-Mar-24	4503500	16.9	7	2.41
16-Mar-24	4503500	0	7	0.00

23-Mar-24	4537800	34.3	7	4.90
30-Mar-24	4550000	12.2	7	1.74
06-Apr-24	4577400	27.4	7	3.91
13-Apr-24	4580600	3.2	7	0.46
20-Apr-24	4602900	22.3	7	3.19
27-Apr-24	4618000	15.1	7	2.16
04-May-24	4618000	0	7	0.00
11-May-24	4632400	14.4	7	2.06
18-May-24	4636500	4.1	7	0.59
25-May-24	4671300	34.8	7	4.97
01-Jun-24	4692700	21.4	7	3.06
08-Jun-24	4723000	30.3	7	4.33
15-Jun-24	4741300	18.3	7	2.61
22-Jun-24	4757300	16	7	2.29
29-Jun-24	4780400	23.1	7	3.30
06-Jul-24	4797000	16.6	7	2.37
13-Jul-24	4809300	12.3	7	1.76
20-Jul-24	4833400	24.1	7	3.44
27-Jul-24	4837300	3.9	7	0.56
03-Aug-24	4864800	27.5	7	3.93
10-Aug-24	4864800	0	7	0.00
17-Aug-24	4899000	34.2	7	4.89
24-Aug-24	4913500	14.5	7	2.07
31-Aug-24	4913900	0.4	7	0.06
07-Sep-24	4914300	0.4	7	0.06
14-Sep-24	4948600	34.3	7	4.90
21-Sep-24	4978200	29.6	7	4.23
28-Sep-24	4997800	19.6	7	2.80
05-Oct-24	5016500	18.7	7	2.67
12-Oct-24	5031900	15.4	7	2.20
19-Oct-24	5062200	30.3	7	4.33
26-Oct-24	5080000	17.8	7	2.54
02-Nov-24	5080100	0.1	7	0.01

12/04/2025	5524600	34.4	7	4.914
19/04/2025	5558900	34.3	7	4.900
26/04/2025	5586000	27.1	7	3.871
3/05/2025	5600600	14.6	7	2.086
10/05/2025	5621800	21.2	7	3.029
17/05/2025	5651900	30.1	7	4.300
24/05/2025	5684500	32.6	7	4.657
31/05/2025	5710600	26.1	7	3.729
7/06/2025	5725200	14.6	7	2.086
14/06/2025	5741000	15.8	7	2.257
21/06/2025	5769400	28.4	7	4.057
28/06/2025	5794900	25.5	7	3.643
5/07/2025	5815500	20.6	7	2.943
12/07/2025	5848100	32.6	7	4.657
19/07/2025	5860000	11.9	7	1.700
26/07/2025	5872500	12.5	7	1.786
2/08/2025	5898100	25.6	7	3.657
9/08/2025	5919200	21.1	7	3.014
16/08/2025	5933700	14.5	7	2.071
23/08/2025	5952600	18.9	7	2.700
30/08/2025	5979400	26.8	7	3.829
6/09/2025	6005500	26.1	7	3.729
13/09/2025	6024400	18.9	7	2.700
20/09/2025	6049500	25.1	7	3.586
27/09/2025	6082000	32.5	7	4.643
4/10/2025	6100400	18.4	7	2.629
11/10/2025	6115200	14.8	7	2.114
18/10/2025	6134000	18.8	7	2.686
25/10/2025	6148600	14.6	7	2.086
1/11/2025	6175100	26.5	7	3.786
8/11/2025	6203500	28.4	7	4.057
15/11/2025	6218100	14.6	7	2.086
22/11/2025	6248200	30.1	7	4.300

EPA Licence Number: 1027 Conditions updated 1/8/2017
Licensee Name: PGH Bricks & Pavers Pty Limited
Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178
Link to Licence: <https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=120641&SYSUID=1&LICID=1027>
Type of Discharge Point: Effluent quality and quantity monitoring
Sampling Point Description: Outlet of envirocycle tanks located south west of brickworks plant. GPS coordinates advised by licensee in correspondence to EPA dated 18 Feb 2016
Monitoring Frequency Required: Yearly

Limit	6.5-8.5	30	20	2	200				28 Feb to 27 Feb
Description	pH	TSS (mg/L)	BOD (mg/L)	Chlorine (free residual) (mg/L)	Faecal Coliforms (CFU/100 mL)	Comment	Date Sampled	Date Obtained	Annual Return Year
Point 2	6.5	1	<2	<1	7		12/01/2016	19/01/2016	2016
Point 2	7.0	2	7	<0.2	17		24/01/2017	30/01/2017	2017
Point 2	7.7	<1	9	<1	<1		22/08/2017	28/08/2017	2018
Point 2	7	4	<5	<0.2	<1		5/02/2019	14/02/2019	2019
Number of Samples Required	1	1	1	1	1				2019
Number of Samples Taken	1	1	1	1	1				2019
Lowest Sample	7	4	0	0	0				2019
Mean of Sample	7	4	0	0	0				2019
Highest Sample	7	4	0	0	0				2019
Point 2	6.8	<2	<5	<0.2	<1		6/03/2019	20/03/2019	2020
Point 2	6.5	3	12	<0.2	<1		3/04/2019	11/04/2019	2020
Point 2	6.5	3	<5	<0.2	<100		1/05/2019	14/05/2019	2020
Point 2	6.6	9	<5	<0.2	<1		23/07/2019	1/08/2019	2020
Point 2	6.8	47	5	0.2	<10		20/08/2019	3/09/2019	2020
Point 2	6.9	17	8	0.2	<100		10/09/2019	19/09/2019	2020
Point 2	6.6	15	<5	<0.2	<1		17/09/2019	26/09/2019	2020
Point 2	6.6	5	8	0.3	<1		15/10/2019	23/10/2019	2020
Point 2	6.5	5	<5	0.5	<10		12/11/2019	21/11/2019	2020
Point 2	6.7	9	<2	0.3	<1		17/12/2019	6/01/2020	2020
Number of Samples Required	1	1	1	1	1				2020
Number of Samples Taken	10	10	10	10	10				2020
Lowest Sample	6.5	0	0	0	0				2020
Mean of Sample	6.65	11.30	3.30	0.15	0.00				2020
Highest Sample	6.9	47	12	0.5	0				2020

Point 2	7	2	19	<0.1	<100		3/03/2020	11/03/2020	2021
Point 2	6.8	3	<5	0.1	<100		28/04/2020	11/05/2020	2021
Point 2	7.2	5	<5	0.1	<1		26/05/2020	4/06/2020	2021
Point 2	6.8	8	<5	0.1	<1		23/06/2020	1/07/2020	2021
Point 2	7.1	9	<5	0.1	<1		18/08/2020	27/08/2020	2021
Point 2	7.1	9	<5	0.09	<100		15/09/2020	24/09/2020	2021
Point 2	7.5	6	6	0.08	<1		10/11/2020	23/11/2020	2021
Point 2	7.2	4	<5	0.13	<100		8/12/2020	22/12/2020	2021
Number of Samples Required	1	1	1	1	1				2021
Number of Samples Taken	8	8	8	8	8				2021
Lowest Sample	6.8	2	0	0	0				2021
Mean of Sample	7.09	5.75	3.13	0.09	0.00				2021
Highest Sample	7.5	9	19	0.13	0				2021
Point 2	6.9	6	<5	0.1	<1		2/03/2021	11/03/2021	2022
Point 2	7.1	8	<5	0.11	<10		30/03/2021	12/04/2021	2022
Point 2	6.8	4	<5	0.42	<1		27/04/2021	7/05/2021	2022
Point 2	7.3	5	<5	0.2	<1		25/05/2021	7/06/2021	2022
Point 2	6.5	6	<5	0.08	<1		22/06/2021	1/07/2021	2022
Point 2							No sample COVID		2022
Point 2							No Sample COVID		2022
Point 2	6.7	7	<5	<0.05	<10		12/10/2021	26/10/2021	2022
Point 2									2022
Point 2									2022
Number of Samples Required	1	1	1	1	1				2022
Number of Samples Taken	6	6	6	6	6				2022
Lowest Sample	6.5	4	0	0	0				2022
Mean of Sample	6.88	6.00	0.00	0.15	0.00				2022
Highest Sample	7.3	8	0	0.42	0				2022
Point 2	6.5	6	<5	0.4	<100		26/04/2022	5/05/2022	2023
Point 2	6.9	12	<5	<0.05	<1		19/07/2022	1/08/2022	2023
Point 2	6.5	10	<5	0.19	<10		11/10/2022	21/10/2022	2023
Point 2									2023
Number of Samples Required	1	1	1	1	1				2023
Number of Samples Taken	3	3	3	3	3				2023
Lowest Sample	6.5	6.0	0.0	0.0	0.0				2023
Mean of Sample	6.6	9.3	0.0	0.2	0.0				2023
Highest Sample	6.9	12	0	0.4	0				2023
Point 2	6.6	7	<5	0.19	<1		24/05/2023	7/06/2023	2024
Point 2	8.3	10	7	0.22	<10		25/09/2023	10/10/2023	2024

Point 2	6.9	7	9	0.28	<1		28/02/2024	15/03/2024	2024
Point 2	7	0.26	9	<5	<18		31/05/2024	31/05/2024	2024
Number of Samples Required	1	1	1	1	1				2024
Number of Samples Taken	4	4	4	4	4				2024
Lowest Sample	6.6	0.3	0.0	0.0	0.0				2024
Mean of Sample	7.2	6.1	6.3	0.2	0.0				2024
Highest Sample	8.3	10	9	0.28	0				2024
Point 2	7.2	10	<5	0.22	<1		9/10/2024	22/10/2024	2025
Point 2	6.7	<5	<5	0.1	<1000 NBO		23/04/2025	5/05/2025	2025
Point 2	7	<5	<5	0.38	<10		13/08/2025	25/08/2025	2025
Point 2	7	6	<5	0.25	20000		26/02/2026	7/04/2026	2025
Number of Samples Required	1	1	1	1	1				2025
Number of Samples Taken	4	4	4	4	4				2025
Lowest Sample	6.7	0.0	0.0	0.1	0.0				2025
Mean of Sample	7.0	4.0	0.0	0.2	5000.0				2025
Highest Sample	7.2	10	0	0.38	20000				2025

EPA Licence Number: 1027 Conditions updated 1/8/2017
Licensee Name: PGH Bricks & Pavers Pty Limited
Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178
Link to Licence: <https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=120641&SYSUID=1&LICID=1027>
Type of Discharge Point: Discharge to air; Air emissions monitoring
Sampling Point Description: Stack 1 - GPS coordinates advised by licensee in correspondence to EPA dated 18 February 2016.

Monitoring Frequency Required:	Yearly	Yearly	Yearly	Yearly	6 monthly	6 monthly	6 monthly	6 monthly	6 monthly	6 monthly	6 monthly	6 monthly				
Limit	50	2000	700	100	40	1	200	N/A	N/A	N/A	N/A	N/A				28 Feb to 27 Feb
Description	Hydrogen Fluoride (mg/m3)	Nitrogen Oxides (mg/m3)	Sulphur Dioxide (mg/m3)	Total Solid Particles (mg/m3)	VOC	Type 1 and Type 2 substances in aggregate	Chlorine (mg/m3)	Dry Gas Density (mg/m3)	Moisture Content (%)	Molecular weight of stack gases (g per mole)	Velocity (m/s)	Volumetric Flowrate (m3/s)	Comment	Date Sampled	Date Obtained	Annual Return Year
Point 3	15	38	<5.7	0.72	<0.066	0.91	0.26	1.3	3.7	29.1	13	8.1		20/05/15	30/06/15	2016
Point 3					0.67	0.0009	7.7	1.3	2.9	29.1	15	8.9		19/12/15	8/01/16	2016
Number of Samples Required	1	1	1	1	2	2	2	2	2	2	2	2				2016
Number of Samples Taken	1	1	1	1	2	2	2	2	2	2	2	2				2016
Lowest Sample	15	38	<5.7	0.72	<0.066	0.0009	0.26	1.3	2.9	29.1	13	8.1				2016
Mean of Sample	15	38	<5.7	0.72	0.67	0.45545	3.98	1.3	3.3	29.1	14	8.5				2016
Highest Sample	15	38	<5.7	0.72	0.67	0.91	7.7	1.3	3.7	29.1	15	8.9				2016
Point 3					0.3	0.05	0.1	1.3	3.6	29.1	17	11		5/05/2016		2017
Point 3	29	49	160	23	1.6	0.04	0.02	1.3	5	29.2	17	11		9/11/2016		2017
Number of Samples Required	1	1	1	1	2	2	2	2	2	2	2	2				2017
Number of Samples	1	1	1	1	2	2	2	2	2	2	2	2				2017
Lowest Sample	29	49	160	23	0.3	0.04	0.02	1.3	3.6	29.1	17	11				2017
Mean of Sample	29	49	160	23	0.95	0.045	0.06	1.3	4.3	29.15	17	11				2017
Highest Sample	29	49	160	23	1.6	0.05	0.1	1.3	5	29.2	17	11				2017
Point 3		19	100		0.38	0.053	0.01	1.3	4.9	29.1	16	10		24/05/2018		2019
Point 3	24	29	6	6.1	1.3	0.079	2	1.3	5.3	29.2	15	9.8		17/10/2018		2019
Number of Samples Required	1	1	1	1	2	2	2	2	2	2	2	2				2019
Number of Samples	1	2	2	1	2	2	2	2	2	2	2	2				2019
Lowest Sample	24	19	6	6.1	0.38	0.053	0.01	1.3	4.9	29.1	15	9.8				2019
Mean of Sample	24	24	53	6.1	0.84	0.066	1.005	1.3	5.1	29.15	15.5	9.9				2019
Highest Sample	24	29	100	6.1	1.3	0.079	2	1.3	5.3	29.2	16	10				2019

Not operational

EPA Licence Number: 1027 Conditions updated 1/8/2017
Licensee Name: PGH Bricks & Pavers Pty Limited
Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178
Link to Licence: <https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=120641&SYSUID=1&LICID=1027>
Type of Discharge Point: Discharge to air; Air emissions monitoring
Sampling Point Description: Stack 2 - GPS coordinates advised by licensee in correspondence to EPA dated 18 February 2016.

Monitoring Frequency Required:	Yearly	Yearly	Yearly	Yearly	6 monthly	6 monthly	6 monthly	6 monthly	6 monthly	6 monthly	6 monthly	6 monthly						
Limit	50	2000	700	100	40	1	200	N/A	N/A	N/A	N/A	N/A					28 Feb to 27 Feb	
Description	Hydrogen Flouride (mg/m3)	Nitrogen Oxides (mg/m3)	Sulphur Dioxide (mg/m3)	Total Solid Particles (mg/m3)	VOC	Type 1 and Type 2 substances in aggregate	Chlorine (mg/m3)	Dry Gas Density (mg/m3)	Moisture Content (%)	Molecular weight of stack gases (g per mole)	Velocity (m/s)	Volumetric Flowrate (m3/s)	Comment	Date Sampled	Date Obtained	Date Published	Annual Return Year	
Point 4																		2017

Not operational

EPA Licence Number: 1027 Conditions updated 1/8/2017
Licensee Name: PGH Bricks & Pavers Pty Limited
Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178
Link to Licence: <https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=120641&SYSUID=1&LICID=1027>
Type of Discharge Point: Discharge to air; Air emissions monitoring
Sampling Point Description: Stack 3 - GPS coordinates advised by licensee in correspondence to EPA dated 18 February 2016.
Monitoring Frequency Required: Yearly

Limit	50	2000	700	100	40	1	200	N/A	N/A	N/A	N/A	N/A				28 Feb to 27 Feb
Description	Hydrogen Flouride (mg/m3)	Nitrogen Oxides (mg/m3)	Sulphur Dioxide (mg/m3)	Total Solid Particles (mg/m3)	VOC	Type 1 and Type 2 substances in aggregate	Chlorine (mg/m3)	Dry Gas Density (mg/m3)	Moisture Content (%)	Molecular weight of stack gases (g per mole, dry)	Velocity (m/s)	Volumetric Flowrate (m3/s)	Comment	Date Sampled	Date Obtained	Annual Return Year
Point 5	7.1	42	82	18	0.53	0.016	0.067	1.30	3.4	29.1	12	18		11/12/2015	8/01/2016	2016
Point 5	22	34	48	20	0.23	0.032	0.01	1.30	2.7	29.1	13	19		7/11/2016		2017
Point 5																2018
Point 5	27	64	230	19	3.8	<0.080	0.27	1.31	6.0	29.3	12	16		4/10/2018	2/11/2018	2019
Point 5	19	26	7.2	9.1	<0.1	<0.14	0.041	1.30	3.8	29.1	13	18		9/10/2019	1/11/2019	2020
Point 5	13	30	60	12	1.4	0.064	0.04	1.31	4.1	29.2	13	19		20/10/2020	4/12/2020	2021
Point 5	18	35	6	6.4	0.2	0.1	0.025	1.30	5.2	29.2	12	18		22/10/2021	29/11/2021	2022
Point 5	13	38	65	16	0.67	0.17	1.1	1.30	5.7	29.2	11	16		18/10/2022	9/12/2022	2023
Point 5	29	53	140	17	3.1	<0.16	2.7	1.29	3.7	29	13	24		18/10/2023	11/12/2023	2024
Point 5	20	32	70	5.3	0.42	<0.085	0.38	1.29	1.1	29	13	25		23/10/2024	27/11/2024	2025
Point 5	9.3	19	<6	<1	1.6	<0.02	<0.07	1.29	1.7	29	12	24		6/11/2025	18/12/2025	2026

EPA Licence Number: 1027 Conditions updated 1/8/2017
Licensee Name: PGH Bricks & Pavers Pty Limited
Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178
Link to Licence: <https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=120641&SYSUID=1&LICID=1027>
Type of Discharge Point: Discharge to waters and water quality monitoring
Point 7 is the overflow monitoring point for the sedimentation pond and the monitoring point for outlet of the decant pond. GPS coordinates advised by licensee in correspondence to EPA dated 18 February 2016.

Monitoring Frequency Required:	Monthly	Monthly	Cont. in-line	Cont. in-line	Cont. in-line				28 Feb to 27 Feb
Limit	10	50	6.5-8.5	150 (<2016) 66 (>2017)	No Limit				
Description	Oil & Grease (mg/L)	TSS (mg/L)	pH	Turbidity (NTU)	Conductivity (µs/cm)	Comment	Date Sampled	Date Obtained	Annual Return Year
Point 7	<3	10	7.1	13	519		1/05/2015	12/05/2015	2016
Point 7	<3	6	7.3	7	501		5/05/2015	22/05/2015	2016
Point 7	<3	11	7.1	14	520		7/05/2015	22/05/2015	2016
Point 7			7.0				8/05/2015		2016
Point 7	<3	23	6.6	26	625		22/05/2015	15/06/2015	2016
Point 7	<3	12	7.2	15	667		27/05/2015	15/06/2015	2016
Point 7	<3	18	7.1	29	698		28/05/2015	15/06/2015	2016
Point 7	<3	400	6.9	550	595		19/06/2015	30/06/2015	2016
Point 7	<3	134	7.1	191	613		20/06/2015	30/06/2015	2016
Point 7	<3	115	7.1	162	588		21/06/2015	30/06/2015	2016
Point 7	<3	6	6.9	7	718		10/07/2015	20/07/2015	2016
Point 7	<3	16	7.1	22	683		17/07/2015	12/08/2015	2016
Point 7	<3	4	7.0	10	735		21/07/2015	5/08/2015	2016
Point 7	<3	4	7.1	6	757		27/07/2015	5/08/2015	2016
Point 7	<3	11	6.9	13	787		29/07/2015	10/08/2015	2016
Point 7	<3	3	7.1	5	815		31/07/2015	10/08/2015	2016
Point 7	<3	5	7.1	7	875		4/08/2015	14/08/2015	2016
Point 7	<3	53	7.2	68	615		27/08/2015	9/09/2015	2016
Point 7	<3	20	7.1	17	644		7/09/2015	14/09/2015	2016
Point 7	<3	28	7.0	25	670		11/09/2015	28/09/2015	2016
Point 7	<3	5	7.2	7	712		17/09/2015	28/09/2015	2016
Point 7	<3	13	7.3	17	823		1/10/2015	12/10/2015	2016
Point 7	<3	22	7.6	24	884		8/10/2015	20/10/2015	2016
Point 7	<3	33	7.2	34	860		19/10/2015	26/10/2015	2016
Point 7	<3	33	7.3	35	682		27/10/2015	4/11/2015	2016
Point 7	<3	408	7.1	594	471		2/11/2015	10/11/2015	2016
Point 7	<3	408	7.1	594	471		3/11/2015	3/11/2015	2016
Point 7	<3	349	6.9	460	454		4/11/2015	10/11/2015	2016
Point 7	<3	462	6.8	550	277		6/11/2015	10/11/2015	2016
Point 7	<3	33	7.1	38	420		9/11/2015	12/11/2015	2016
Point 7	<3	25	6.8	33	495		13/11/2015	25/11/2015	2016
Point 7	<3	306	6.9	432	457		16/11/2015	25/11/2015	2016
Point 7	<3	49	7.0	67	494		18/11/2015	25/11/2015	2016
Point 7	<3	29	7.4	30	519		23/11/2015	1/12/2015	2016
Point 7	<3	15	7.5	21	522		23/11/2015	25/11/2015	2016
Point 7	<3	13	7.3	18	545		25/11/2015	1/12/2015	2016
Point 7	<3	17	7.4	20	552		26/11/2015	17/12/2015	2016
Point 7	<3	16	7.2	18	567		30/11/2015	8/12/2015	2016
Point 7	<3	15	7.3	18	610		3/12/2015	14/12/2015	2016

Monitoring Frequency Required:	Monthly	Monthly	Cont. in-line	Cont. in-line	Cont. in-line				28 Feb to 27 Feb
Limit	10	50	6.5-8.5	150 (<2016) 66 (>2017)	No Limit				
Description	Oil & Grease (mg/L)	TSS (mg/L)	pH	Turbidity (NTU)	Conductivity (µs/cm)	Comment	Date Sampled	Date Obtained	Annual Return Year
Point 7	<3	13	7.5	16	417		7/12/2015	21/12/2015	2016
Point 7	<3	35	7.5	43	676		9/12/2015	21/12/2015	2016
Point 7	<3	1,170	7.5	1,400	362		5/01/2016	19/01/2016	2016
Point 7	<3	1,700	7.1	2,200	332		6/01/2016	19/01/2016	2016
Point 7	<3	1,220	7.3	1,680	352		7/01/2016	19/01/2016	2016
Point 7	<3	31	7.2	11	365		13/01/2016	19/01/2016	2016
Point 7	<3	800	7.1	1,100	377		15/01/2016	27/01/2016	2016
Point 7	<3	26	7.2	43	345		20/01/2016	1/02/2016	2016
Point 7	<3	17	7.2	20	375		21/01/2016	1/02/2016	2016
Point 7	<3	984	7.1	1,350	365		22/01/2016	1/02/2016	2016
Point 7	<3	47	7.0	53	190		27/01/2016	29/01/2016	2016
Point 7	<3	92	7.2	110	260		28/01/2016	29/01/2016	2016
Point 7	<3	52	7.0	60	202		29/01/2016	4/02/2016	2016
Point 7	<3	53	6.9	60	306		3/02/2016	4/02/2016	2016
Point 7	<3	29	6.6	36	464		5/02/2016	18/02/2016	2016
Point 7	<3	13	7.2	25	463		11/02/2016	22/02/2016	2016
Point 7	<3	20	7.7	26	450		12/02/2016	22/02/2016	2016
Point 7	<3	11	7.3	15	465		15/02/2016	22/02/2016	2016
Point 7	<3	21	7.2	28	470		15/02/2016	22/02/2016	2016
Point 7	<3	11	7.1	16	476		16/02/2016	26/02/2016	2016
Point 7	<3	16	7.2	19	476		16/02/2016	26/02/2016	2016
Point 7	<3	12	7.2	18	480		17/02/2016	26/02/2016	2016
Point 7	<3	13	7.1	18	483		17/02/2016	26/02/2016	2016
Point 7	<3	12	8.1	14	484		26/02/2016	29/02/2016	2016
Number of Samples	62	62	63	62	62				2016
Lowest Sample	0	3	6.61	5.3	190				2016
Mean of Sample	0.0	153.7	7.2	202.6	533.5				2016
Highest Sample	0	1700	8.1	2200	884				2016
Point 7	<3	11	7.8	11	531		3/03/2016	8/03/2016	2017
Point 7	<3	10	7.8	13	549		9/03/2016	17/03/2016	2017
Point 7	<3	14	7.6	16	605		11/03/2016	17/03/2016	2017
Point 7	<3	5	7.1	9	614		14/03/2016	24/03/2016	2017
Point 7	<3	16	7.2	21	845		24/03/2016	4/04/2016	2017
Point 7	<3	6	7.7	9	770		31/03/2016	7/04/2016	2017
Point 7	<3	8	7.5	11	822		5/04/2016	14/04/2016	2017
Point 7	<3	2	7.7	3	884		7/04/2016	27/04/2016	2017
Point 7	<3	20	7.8	22	858		10/05/2016	24/05/2016	2017
Point 7	3	1260	6.6	1900	362		6/06/2016		2017
Point 7	3	863	6.7	1390	422		7/06/2016		2017
Point 7	3	1330	6.7	2000	311		8/06/2016		2017
Point 7	3	480	6.8	880	449		9/06/2016		2017
Point 7	3	16	7.7	25	340		14/06/2016		2017
Point 7	3	27	6.7	26	438		17/06/2016		2017
Point 7	3	279	6.7	398	414		20/06/2016		2017
Point 7	3	11	7.0	11	423		22/06/2016		2017

Monitoring Frequency Required:	Monthly	Monthly	Cont. in-line	Cont. in-line	Cont. in-line				28 Feb to 27 Feb
Limit	10	50	6.5-8.5	150 (<2016) 66 (>2017)	No Limit				
Description	Oil & Grease (mg/L)	TSS (mg/L)	pH	Turbidity (NTU)	Conductivity (µs/cm)	Comment	Date Sampled	Date Obtained	Annual Return Year
Point 7	3	39	7.2	46	442		24/06/2016		2017
Point 7	3	16	7.6	21	449		27/06/2016		2017
Point 7	3	18	7.9	22	481		28/06/2016		2017
Point 7	3	14	7.5	17	520		29/06/2016		2017
Point 7	3	19	7.3	22	526		8/07/2016		2017
Point 7	3	16	7.5	18	555		14/07/2016		2017
Point 7	3	30	7.3	33	613		18/07/2016		2017
Point 7	3	37	7.3	39	612		19/07/2016		2017
Point 7	3	19	7.4	23	588		20/07/2016		2017
Point 7	3	22	7.1	23	428		21/07/2016		2017
Point 7	3	34	7.1	38	465		22/07/2016		2017
Point 7	<3	31	7.5	34	521		26/07/2016	4/08/2016	2017
Point 7	<3	29	7.0	30	555		27/07/2016	5/08/2016	2017
Point 7	<3	29	7.0	29	472		28/07/2016	5/08/2016	2017
Point 7	3	29	7.0	33	571		29/07/2016		2017
Point 7	3	35	7.1	43	580		10/08/2016		2017
Point 7	3	37	6.9	38	608		15/08/2016		2017
Point 7	3	17	6.9	21	603		15/08/2016		2017
Point 7	3	325	6.8	339	629		25/08/2016		2017
Point 7	3	10	6.7	10	478		29/08/2016		2017
Point 7	3	22	6.9	24	489		31/08/2016		2017
Point 7	3	181	7.1	234	472		2/09/2016		2017
Point 7	3	16	7.1	20	504		6/09/2016		2017
Point 7	3	8	7.5	7	533		12/09/2016		2017
Point 7	3	10	7.4	13	538		14/09/2016		2017
Point 7	3	38	7.4	42	546		14/09/2016		2017
Point 7	3	21	7.1	25	560		15/09/2016		2017
Point 7	3	6	7.2	8.4	554		20/09/2016		2017
Point 7	3	8	7.1	11	704		26/09/2016		2017
Point 7	3	20	7.3	29	935		4/10/2016		2017
Point 7	3	22	7.3	34	960		7/10/2016		2017
Point 7	3	26	7.3	52	1240		7/11/2016		2017
Point 7	3	37	7.0	61	1360		16/11/2016		2017
Point 7	3	36	6.6	59	1430		6/12/2016		2017
Point 7	3	24	6.8	16	461		10/01/2017		2017
Point 7	3	22	7.0	23	462		11/01/2017		2017
Point 7	3	35	6.9	36	371		12/01/2017		2017
Point 7	3	39	7.0	38	348		13/01/2017		2017
Point 7	3	49	7.2	55	421		30/01/2017		2017
Number of Samples	56	56	56	56	56				2017
Lowest Sample	0	2	6.58	3.1	311				2017
Mean of Sample	2.4	103.3	7.2	150.2	593.2				2017
Highest Sample	3	1330	7.85	2000	1430				2017
Point 7	3	39	8.2	45	314		7/03/2018		2019
Point 7	3	33	7.2	40.5	655		30/04/2018		2019

Monitoring Frequency Required:	Monthly	Monthly	Cont. in-line	Cont. in-line	Cont. in-line				28 Feb to 27 Feb
Limit	10	50	6.5-8.5	150 (<2016) 66 (>2017)	No Limit				
Description	Oil & Grease (mg/L)	TSS (mg/L)	pH	Turbidity (NTU)	Conductivity (µs/cm)	Comment	Date Sampled	Date Obtained	Annual Return Year
Point 7	3	27	7.6	30.8	605		2/05/2018		2019
Point 7	3	2	7.1	3.25	440		11/06/2018		2019
Point 7	3	8	7.4	9.91	540		20/07/2018		2019
Point 7						System did not operate in August due to lack of rainfall	1/08/2018		2019
Point 7	3	25	7.1	27.2	335		12/09/2018		2019
Point 7	3	10	7.2	11.5	440		4/10/2018		2019
Point 7	3	965	6.8	1580	310	Exceedance permitted, 5 day rainfall >50mm	5/10/2018		2019
Point 7	3	478	6.8	940	320	Exceedance permitted, 5 day rainfall >50mm	9/10/2018		2019
Point 7	3	20	7.0	34.2	300		10/10/2018		2019
Point 7	3	2430	6.8	3050	375	Exceedance permitted, 5 day rainfall >50mm	15/10/2018		2019
Point 7	3	1230	6.7	1600	390	Exceedance permitted, 5 day rainfall >50mm	18/10/2018		2019
Point 7	3	6	7.6	7.02	525		8/11/2018		2019
Point 7	3	1510	7.1	2360	545	Exceedance permitted, 5 day rainfall >50mm	29/11/2018		2019
Point 7	3	398	7.2	752	549	Exceedance permitted, 5 day rainfall >50mm	30/11/2018		2019
Point 7	3	4	7.4	3.35	505		6/12/2018		2019
Point 7	3	1580	7.0	2120	385	Exceedance permitted, 5 day rainfall >50mm	14/12/2018		2019
Point 7	3	752	7.5	1180	555	Exceedance permitted, 5 day rainfall >50mm	17/12/2018		2019
Point 7	3	7	7.2	8.3	545		19/12/2018		2019
Point 7	3	7	7.6	9.9	490		22/01/2019		2019
Point 7	3	6	7.8	5.5	630		11/02/2019		2019
Number of Samples required	12	12	12	12	12				2019
Number of Samples	21	21	22	22	22				2019
Lowest Sample	3	2	6.73	3.25	300				2019
Mean of Sample	3.0	454.1	7.2	658.0	464.4				2019
Highest Sample	3	2430	8.2	3050	655				2019
Point 7	<3	1200	7.0	1600	391	>50mm 5 day rain event	17/03/19	4/04/19	2020
Point 7	<3	1000	7.1	1500	362	>50mm 5 day rain event	18/03/19	4/04/19	2020
Point 7	<3	1520	7.1	2150	385	>50mm 5 day rain event	19/03/19	4/04/19	2020
Point 7	<3	1180	7.2	1650	450	>50mm 5 day rain event	20/03/19	4/04/19	2020
Point 7	<3	408	7.3	720	567	>50mm 5 day rain event	21/03/19	4/04/19	2020
Point 7	<3	12	7.6	18	660		22/03/19	4/04/19	2020
Point 7	<3	7	7.4	5.6	585		1/04/19	23/04/19	2020
Point 7	<3	18	7.4	23	1070		16/05/19	11/06/19	2020
Point 7	<3	24	7.2	26	294		17/06/19	1/07/19	2020
Point 7	<3	7	8.2	10.2	760		10/07/2019	22/07/2019	2020
Point 7	<3	1340	7.7	1910	506	>50mm 5 day rain event	18/09/2019	15/11/2019	2020
Point 7	<3	973	7.4	1240	670	>50mm 5 day rain event	19/09/2019	15/11/2019	2020
Point 7	<3	464	7.4	540	804	>50mm 5 day rain event	20/09/2019	15/11/2019	2020
Point 7	<3	963	7.5	1260	570	>50mm 5 day rain event	21/09/2019	15/11/2019	2020
Point 7	<3	680	7.4	952	570	>50mm 5 day rain event	22/09/2019	15/11/2019	2020
Point 7	<3	11	7.5	16.1	630		11/10/2019	28/10/2019	2020
Point 7	<3	18	8.1	19.5	785		26/11/2019	10/12/2019	2020
Point 7						Not tested due to lack of rainfall	Dec-19		2020
Point 7	<3	4	7.73	6.9	690		22/01/2020	5/02/2020	2020
Point 7	<3	3010	7.5	4350	382	>50mm 5 day rain event	8/02/2020	26/02/2020	2020

Monitoring Frequency Required:	Monthly	Monthly	Cont. in-line	Cont. in-line	Cont. in-line				28 Feb to 27 Feb
Limit	10	50	6.5-8.5	150 (<2016) 66 (>2017)	No Limit				
Description	Oil & Grease (mg/L)	TSS (mg/L)	pH	Turbidity (NTU)	Conductivity (µs/cm)	Comment	Date Sampled	Date Obtained	Annual Return Year
Point 7	<3	4160	7.3	5700	287	>50mm 5 day rain event	9/02/2020	26/02/2020	2020
Point 7	<3	2690	7.3	3750	465	>50mm 5 day rain event	10/02/2020	26/02/2020	2020
Point 7	<3	3910	7.8	5650	320	>50mm 5 day rain event	11/02/2020	26/02/2020	2020
Point 7	<3	1790	7.3	2600	490	>50mm 5 day rain event	12/02/2020	26/02/2020	2020
Point 7	<3	1320	7.4	2400	510	>50mm 5 day rain event	13/02/2020	26/02/2020	2020
Point 7	<3	278	7.5	408	650	>50mm 5 day rain event	14/02/2020	2/03/2020	2020
Point 7	<3	18	7.65	23	660	Treatment system normal automatic operation and discharge	17/02/2020	2/03/2020	2020
Number of Samples required	12	12	12	12	12				2020
Number of Samples	26	26	26	26	26				2020
Lowest Sample	0	4	7	5.6	287				2020
Mean of Sample	0.0	1038.7	7.5	1481.9	558.2				2020
Highest Sample	0	4160	8.2	5700	1070				2020
Point 7	<3	28	8.1	41.5	656		6/03/2020	23/03/2020	2021
Point 7	<3	10	7.85	11.5	664		10/03/2020	23/03/2020	2021
Point 7	<3	9	7.35	8.45	745		27/04/2020	8/05/2020	2021
Point 7	<3	29	8.14	40.5	775		5/05/2020	19/05/2020	2021
Point 7	<3	10	7.02	7.96	910		22/06/2020	3/07/2020	2021
Point 7	<3	1710	7.5	2300	442	L3.6 & L3.7 90th percentile rain event	27/07/2020	10/08/2020	2021
Point 7	<3	1290	7.41	1810	480	L3.6 & L3.7 90th percentile rain event	28/07/2020	10/08/2020	2021
Point 7	<3	1270	7.42	1270	479	L3.6 & L3.7 90th percentile rain event	29/07/2020	10/08/2020	2021
Point 7	<3	12	7.44	15.5	584		31/07/2020	13/08/2020	2021
Point 7	<3	19	7.35	22.4	620		3/08/2020	13/08/2020	2021
Point 7	<3	2	8.2	2.55	1150		12/10/2020	28/10/2020	2021
Point 7	<3	13	8.3	10.1	495		7/11/2020	23/11/2020	2021
Point 7	<3	5	8.3	5.11	504		8/11/2020	23/11/2020	2021
Point 7	<3	7	8.3	5.86	525		9/11/2020	23/11/2020	2021
Point 7	<3	10	8.15	13.1	456		6/11/2020	18/11/2020	2021
Point 7	<3	1	8.4	1.4	620		13/02/2021	8/03/2021	2021
Point 7	<3	1	8.3	1.3	484		16/02/2021	8/03/2021	2021
Point 7	<3	<1	8	0.89	477		19/02/2021	8/03/2021	2021
Point 7	<3	2	7.5	1.9	462		20/02/2021	8/03/2021	2021
Point 7	<3	3	7.5	2.8	460		21/02/2021	8/03/2021	2021
Point 7	<3	16	7.4	14.5	215		22/02/2021	8/03/2021	2021
Number of Samples required	12	12							2021
Number of Samples	21	21	21	21	21				2021
Lowest Sample	0	0	7.02	0.89	215				2021
Mean of Sample	0.0	211.8	7.8	266.1	581.1				2021
Highest Sample	0	1710	8.4	2300	1150				2021
Point 7	<3	1	7.8	1.2	818		15/03/2021	6/04/2021	2022
Point 7	<3	3	8.1	4.7	497		16/03/2021	6/04/2021	2022
Point 7	<3	1	8.4	1.8	428		18/03/2021	6/04/2021	2022
Point 7	<3	378	7.7	880	382		19/03/2021	6/04/2021	2022
Point 7	<3	3980	7.5	5120	380		20/03/2021	6/04/2021	2022
Point 7	<3	4230	7.3	5360	410		21/03/2021	6/04/2021	2022

Monitoring Frequency Required:	Monthly	Monthly	Cont. in-line	Cont. in-line	Cont. in-line				28 Feb to 27 Feb
Limit	10	50	6.5-8.5	150 (<2016) 66 (>2017)	No Limit				
Description	Oil & Grease (mg/L)	TSS (mg/L)	pH	Turbidity (NTU)	Conductivity (µs/cm)	Comment	Date Sampled	Date Obtained	Annual Return Year
Point 7	<3	18	8	24.5	530		7/05/2021	20/05/2021	2022
Point 7	<3	26	7.7	30.2	532		8/05/2021	20/05/2021	2022
Point 7	<3	5	7.5	5.8	534		10/05/2021	20/05/2021	2022
Point 7	<3	42	7.5	40.6	540		11/05/2021	25/05/2021	2022
Point 7	<3	21	7.5	21.6	546		12/05/2021	25/05/2021	2022
Point 7	<3	24	7.5	25.5	555		13/05/2021	25/05/2021	2022
Point 7	<3	23	7.5	24.1	558		14/05/2021	25/05/2021	2022
Point 7	<3	7	7.5	6.52	575		15/05/2021	26/05/2021	2022
Point 7	<3	25	7.5	24.2	590		16/05/2021	26/05/2021	2022
Point 7	<3	5	8.3	4.64	620		10/06/2021	24/06/2021	2022
Point 7	<3	6	7.8	7.82	625		11/06/2021	24/06/2021	2022
Point 7	<3	1	7.8	1.11	610		12/06/2021	24/06/2021	2022
Point 7	<3	11	7.8	13.2	605		13/06/2021	24/06/2021	2022
Point 7	<3	8	7.8	9.95	607		14/06/2021	24/06/2021	2022
Point 7	<3	6	8.4	3.14	624		5/07/2021	20/07/2021	2022
Point 7	<3	20	7.9	20.2	630		6/07/2021	20/07/2021	2022
Point 7	<3	18	7.9	19.5	635		7/07/2021	20/07/2021	2022
Point 7	<3	15	7.9	18.2	652		8/07/2021	20/07/2021	2022
Point 7	<3	18	8.3	20.2	641		26/08/2021	3/09/2021	2022
Point 7	<3	7	8	7.42	643		27/08/2021	3/09/2021	2022
Point 7	<3	10	8.1	10.8	550		28/08/2021	3/09/2021	2022
Point 7	<3	12	8	13.4	535		29/08/2021	3/09/2021	2022
Point 7	<3	2	7.8	2.86	551		30/08/2021	3/09/2021	2022
Point 7	<3	16	7.7	17.2	575		31/08/2021	3/09/2021	2022
Point 7	<3	3	7.8	4.15	594		1/09/2021	3/09/2021	2022
Point 7	<3	9	7.7	9.35	596		2/09/2021	7/09/2021	2022
Point 7	<3	6	7.7	6.55	660		3/09/2021	24/09/2021	2022
Point 7	<3	1	7.9	2.06	651		6/09/2021	24/09/2021	2022
Point 7	<3	2	8.1	2.48	652		7/09/2021	24/09/2021	2022
Point 7	<3	3	8.3	3.96	638		8/09/2021	24/09/2021	2022
Point 7	<3	6	8.3	6.5	655		12/09/2021	24/09/2021	2022
Point 7	<3	4	7.2	3.62	658		13/09/2021	24/09/2021	2022
Point 7	<3	6	7.2	5.55	653		14/09/2021	24/09/2021	2022
Point 7	<3	9	7.4	10.4	628		15/09/2021	29/09/2021	2022
Point 7	<3	15	7.6	17.5	635		16/09/2021	29/09/2021	2022
Point 7	<3	14	7.6	16.8	650		17/09/2021	29/09/2021	2022
Point 7	<3	6	8.1	7.25	635		18/09/2021	24/09/2021	2022
Point 7	<3	7	8	7.05	638		19/09/2021	24/09/2021	2022
Point 7	<3	5	8.2	6.42	641		20/09/2021	24/09/2021	2022
Point 7	<3	6	7.7	8.65	650		11/10/2021	22/10/2021	2022
Point 7	<3	5	7.8	8.15	610		12/10/2021	22/10/2021	2022
Point 7	<3	3	7.9	2.78	570		13/10/2021	22/10/2021	2022
Point 7	<3	9	7.8	10.6	486		14/10/2021	22/10/2021	2022
Point 7	<3	14	7.5	14.4	450		15/10/2021	22/10/2021	2022
Point 7	<3	7	7.3	8.05	455		16/10/2021	22/10/2021	2022

Monitoring Frequency Required:	Monthly	Monthly	Cont. in-line	Cont. in-line	Cont. in-line				28 Feb to 27 Feb
Limit	10	50	6.5-8.5	150 (<2016) 66 (>2017)	No Limit				
Description	Oil & Grease (mg/L)	TSS (mg/L)	pH	Turbidity (NTU)	Conductivity (µs/cm)	Comment	Date Sampled	Date Obtained	Annual Return Year
Point 7	<3	12	7.4	12.8	460		17/10/2021	22/10/2021	2022
Point 7	<3	97	6.9	180	362		9/11/2021	24/11/2021	2022
Point 7	<3	2030	7	3150	360		25/11/2021	14/11/2021	2022
Point 7	<3	2070	7	3210	358		26/11/2021	14/11/2021	2022
Point 7	<3	2060	7	3120	359		27/11/2021	14/11/2021	2022
Point 7	<3	2090	7	3400	358		28/11/2021	14/11/2021	2022
Point 7	<3	2060	7	3300	358		29/11/2021	14/11/2021	2022
Point 7	<3	125	6.8	174	535		10/12/2021	20/12/2021	2022
Point 7	<3	263	6.7	326	544		11/12/2021	20/12/2021	2022
Point 7	<3	683	6.6	1010	537		12/12/2021	20/12/2021	2022
Point 7	<3	482	6.6	755	557		13/12/2021	20/12/2021	2022
Point 7	<3	15	7.3	16.5	570		14/12/2021	20/12/2021	2022
Point 7	<3	27	7.4	30.2	590		15/12/2021	20/12/2021	2022
Point 7	<3	7	6.6	8.56	620		16/12/2021	20/12/2021	2022
Point 7	<3	4	7.9	5.04	715		28/12/2021	17/01/2022	2022
Point 7	<3	8	7.8	12.6	524		6/01/2022	17/01/2022	2022
Point 7	<3	4740	7.5	5740	300		7/01/2022	17/01/2022	2022
Point 7	<3	3000	7.2	4520	370		8/01/2022	17/01/2022	2022
Point 7	<3	996	7.2	1220	445		9/01/2022	17/01/2022	2022
Point 7	<3	1000	7	1280	440		10/01/2022	17/01/2022	2022
Point 7	<3	1370	7.1	1400	378		13/01/2022	28/01/2022	2022
Point 7	<3	14	7.4	21.5	445		17/01/2022	4/02/2022	2022
Point 7	<3	16	7	25.1	454		18/01/2022	4/02/2022	2022
Point 7	<3	13	7.1	21.7	444		19/01/2022	4/02/2022	2022
Point 7	<3	11	7.2	15.3	457		20/01/2022	4/02/2022	2022
Point 7	<3	5	7.1	5.86	456		21/02/2022	4/02/2022	2022
Point 7	<3	9	7.2	8.62	465		22/01/2022	7/02/2022	2022
Point 7	<3	11	7.2	11.8	470		23/01/2022	7/02/2022	2022
Point 7	<3	6	7.4	6.71	499		24/01/2022	7/02/2022	2022
Point 7	<3	15	7.9	17.9	450		2/02/2022	17/02/2022	2022
Point 7	<3	24	7.4	21.1	452		3/02/2022	17/02/2022	2022
Point 7	<3	11	7.5	11.8	460		11/02/2022	21/02/2022	2022
Point 7	<3	13	7.4	14.2	395		13/02/2022	21/02/2022	2022
Point 7	<3	19	7.2	36.5	425		18/02/2022	7/03/2022	2022
Point 7	<3	20	7	18.4	422		19/02/2022	7/03/2022	2022
Point 7	<3	23	7.2	19.5	440		20/02/2022	7/03/2022	2022
Point 7	<3	17	8.3	19.2	236		22/02/2022	7/03/2022	2022
Point 7	<3	1920	6.7	2800	340		24/02/2022	7/03/2022	2022
Point 7	<3	2750	7.3	3650	378		25/02/2022	8/03/2022	2022
Point 7	<3	4390	7.2	5900	334		26/02/2022	8/03/2022	2022
Point 7	<3	3560	7.2	5200	343		27/02/2022	8/03/2022	2022
Point 7	<3	2870	7.2	4100	350		28/02/2022	8/03/2022	2022
Number of Samples required	12	12	12	12	12				2022
Number of Samples	93	93	93	93	93				2022
Lowest Sample	0	1	6.6	1.11	236				2022

Monitoring Frequency Required:	Monthly	Monthly	Cont. in-line	Cont. in-line	Cont. in-line				28 Feb to 27 Feb
Limit	10	50	6.5-8.5	150 (<2016) 66 (>2017)	No Limit				
Description	Oil & Grease (mg/L)	TSS (mg/L)	pH	Turbidity (NTU)	Conductivity (µs/cm)	Comment	Date Sampled	Date Obtained	Annual Return Year
Mean of Sample	0.0	515.4	7.5	717.2	518.7				2022
Highest Sample	0	4740	8.4	5900	818				2022
Point 7	<3	1720	7.1	2400	438		1/03/22	17/03/2022	2023
Point 7	<3	1350	7.2	1850	393		2/03/22	17/03/2022	2023
Point 7	<3	2760	7.2	3500	363		3/03/22	17/03/2022	2023
Point 7	<3	1080	7.3	1450	520		4/03/22	17/03/2022	2023
Point 7	<3	1590	7.1	2200	430		5/03/2022	14/03/2022	2023
Point 7	<3	3010	7.1	4100	270		6/03/2022	14/03/2022	2023
Point 7	<3	3290	7.1	4300	284		7/03/2022	14/03/2022	2023
Point 7	<3	1710	7.2	2300	364		8/03/2022	14/03/2022	2023
Point 7	<3	1080	7.1	1400	399		9/03/2022	14/03/2022	2023
Point 7	<3	4710	6.9	6800	236		10/03/2022	14/03/2022	2023
Point 7	<3	2450	6.9	3950	360		11/03/2022	22/03/2022	2023
Point 7	<3	2930	6.8	4800	226		12/03/2022	22/03/2022	2023
Point 7	<3	20	7.8	24.5	383		13/03/2022	22/03/2022	2023
Point 7	<3	27	7.7	35.4	650		14/03/2022	22/03/2022	2023
Point 7	<3	9	7.8	10.2	616		21/03/2022	4/04/2022	2023
Point 7	<3	15	8	17.2	580		22/03/2022	4/04/2022	2023
Point 7	<3	30	8.1	38.3	615		23/03/2022	19/04/2022	2023
Point 7	<3	11	7.7	11.8	596		26/03/2022	19/04/2022	2023
Point 7	<3	77	7.1	128	515		27/03/2022	19/04/2022	2023
Point 7	<3	1860	7.1	2230	570		29/03/2022	19/04/2022	2023
Point 7	<3	800	7.5	1000	569		1/04/2022	19/04/2022	2023
Point 7	<3	24	8.1	20.2	579		6/04/2022	19/04/2022	2023
Point 7	<3	508	7.4	855	423		7/04/2022	26/04/2022	2023
Point 7	<3	635	7.4	1330	390		8/04/2022	26/04/2022	2023
Point 7	<3	695	7.5	1360	387		9/04/2022	26/04/2022	2023
Point 7	<3	1010	7.4	1450	420		10/04/2022	26/04/2022	2023
Point 7	<3	1220	7.4	1690	513		11/04/2022	26/04/2022	2023
Point 7	<3	768	7.3	1190	396		12/04/2022	29/04/2022	2023
Point 7	<3	18	7.4	21.3	571		13/04/2022	29/04/2022	2023
Point 7	<3	9	7.6	9.04	581		14/04/2022	29/04/2022	2023
Point 7	<3	6	7.8	7.23	584		15/04/2020	29/04/2022	2023
Point 7	<3	11	8.1	10.6	596		16/04/2022	29/04/2022	2023
Point 7	<3	18	7.8	21.4	616		19/04/2022	4/05/2022	2023
Point 7	<3	27	7.9	29.1	635		20/04/2022	4/05/2022	2023
Point 7	<3	6	8.3	6.45	550		3/05/2022	16/05/2022	2023
Point 7	<3	6	8.3	5.24	605		4/05/2022	17/05/2022	2023
Point 7	<3	1	6.9	1.75	640		5/05/2022	25/05/2022	2023
Point 7	<3	7	8.3	8.43	510		12/05/2022	25/05/2022	2023
Point 7	<3	6	8.2	5.17	610		13/05/2022	25/05/2022	2023
Point 7	<3	8	8.1	7.2	595		14/05/2022	25/05/2022	2023
Point 7	<3	10	8.1	10.8	640		15/05/2022	25/05/2022	2023
Point 7	<3	14	8.2	16.3	670		21/05/2022	2/06/2022	2023
Point 7	<3	18	7.9	19.3	555		22/05/2022	2/06/2022	2023

Monitoring Frequency Required:	Monthly	Monthly	Cont. in-line	Cont. in-line	Cont. in-line				
Limit	10	50	6.5-8.5	150 (<2016) 66 (>2017)	No Limit				28 Feb to 27 Feb
Description	Oil & Grease (mg/L)	TSS (mg/L)	pH	Turbidity (NTU)	Conductivity (µs/cm)	Comment	Date Sampled	Date Obtained	Annual Return Year
Point 7	<3	8	8.1	7.5	575		23/05/2022	2/06/2022	2023
Point 7	<3	27	7.6	29.2	570		25/05/2022	9/06/2022	2023
Point 7	<3	5	7.8	4.21	577		26/05/2022	9/06/2022	2023
Point 7	<3	3210	7.9	4400	265		2/07/2022	18/07/2022	2023
Point 7	<3	3180	7.7	4380	264		3/07/2022	18/07/2022	2023
Point 7	<3	3110	7.6	4370	263		4/07/2022	18/07/2022	2023
Point 7	<3	3160	7.5	4390	264		5/07/2022	18/07/2022	2023
Point 7	<3	4820	7.6	6120	210		6/07/2022	18/07/2022	2023
Point 7	<3	4160	7.6	6040	183		7/07/2022	18/07/2022	2023
Point 7	<3	3540	7.5	4960	200	Turbidity is offscale (greater than 1000 NTU), samples are diluted by LabPoint (not recommended by APHA 2130 B method) in order to provide an estimated turbidity on the original samples as per customer request. Reporting of estimated turbidity is not covered by the scope of our NATA accreditation.	8/07/2022	19/07/2022	2023
Point 7	<3	1140	7.5	910	560	Turbidity is offscale (greater than 1000 NTU), samples are diluted by LabPoint (not recommended by APHA 2130 B method) in order to provide an estimated turbidity on the original samples as per customer request. Reporting of estimated turbidity is not covered by the scope of our NATA accreditation.	9/07/2022	19/07/2022	2023
Point 7	<3	30	7.7	39.5	570		10/07/2022	19/07/2022	2023
Point 7	<3	10	7.7	9.18	565		11/07/2022	19/07/2022	2023
Point 7	<3	13	7.8	13.5	570		12/07/2022	19/07/2022	2023
Point 7	<3	27	8	32.4	607		21/07/2022	2/08/2022	2023
Point 7	<3	23	8	26.8	620		22/07/2022	2/08/2022	2023
Point 7	<3	11	7.9	14.5	802		26/07/2022	8/08/2022	2023
Point 7	<3	16	8	18.6	730		27/07/2022	8/08/2022	2023
Point 7	<3	13	7.1	15.8	1170		7/09/2022	21/09/2022	2023
Point 7	<3	15	8.3	15.6	1060		9/09/2022	23/09/2022	2023
Point 7	<3	8	8.4	8.94	1040		10/09/2022	23/09/2022	2023
Point 7	<3	6	8.3	6.12	776		23/09/2022	10/10/2022	2023
Point 7	<3	8	8.3	8.76	638		24/09/2022	10/10/2022	2023
Point 7	<3	9	7.9	9.02	624		25/09/2022	10/10/2022	2023
Point 7	<3	6	8.2	6.88	635		28/09/2022	12/10/2022	2023
Point 7	<3	6	7.9	7.22	596		29/09/2022	12/10/2022	2023
Point 7	<3	17	7.8	19.5	533		30/09/2022	12/10/2022	2023
Point 7	<3	7	7.9	7.95	580		1/10/2022	17/10/2022	2023
Point 7	<3	13	6.6	16.8	448		7/10/2022	20/10/2022	2023
Point 7	<3	4	7.6	4.17	453		8/10/2022	20/10/2022	2023
Point 7	<3	2330	7.5	3500	350	Turbidity is offscale (greater than 1000 NTU), samples are diluted by LabPoint (not recommended by APHA 2130 B method) in order to provide an estimated turbidity on the original samples as per customer request. Reporting of estimated turbidity is not covered by the scope of our NATA accreditation.	9/10/2022	20/10/2022	2023
Point 7	<3	3710	7.7	5300	325	Turbidity is offscale (greater than 1000 NTU), samples are diluted by LabPoint (not recommended by APHA 2130 B method) in order to provide an estimated turbidity on the original samples as per customer request. Reporting of estimated turbidity is not covered by the scope of our NATA accreditation.	10/10/2022	20/10/2022	2023
Point 7	<3	12	7.6	14.2	410		12/10/2022	26/10/2022	2023

Monitoring Frequency Required:	Monthly	Monthly	Cont. in-line	Cont. in-line	Cont. in-line				28 Feb to 27 Feb
Limit	10	50	6.5-8.5	150 (<2016) 66 (>2017)	No Limit				
Description	Oil & Grease (mg/L)	TSS (mg/L)	pH	Turbidity (NTU)	Conductivity (µs/cm)	Comment	Date Sampled	Date Obtained	Annual Return Year
Point 7	<3	9	7.6	12.3	425		13/10/2022	28/10/2022	2023
Point 7	<3	16	7.6	19.4	440		14/10/2022	28/10/2022	2023
Point 7	<3	13	7.5	17	428		24/10/2022	9/11/2022	2023
Point 7	<3	1360	7.6	1950	380	Turbidity is offscale (greater than 1000 NTU), samples are diluted by LabPoint (not recommended by APHA 2130 B method) in order to provide an estimated turbidity on the original samples as per customer request. Reporting of estimated turbidity is not covered by the scope of our NATA accreditation.	25/10/2022	9/11/2022	2023
Point 7	<3	856	7.4	1320	425	Turbidity is offscale (greater than 1000 NTU), samples are diluted by LabPoint (not recommended by APHA 2130 B method) in order to provide an estimated turbidity on the original samples as per customer request. Reporting of estimated turbidity is not covered by the scope of our NATA accreditation.	26/10/2022	9/11/2022	2023
Point 7	<3	1600	7.5	2620	370	Turbidity is offscale (greater than 1000 NTU), samples are diluted by LabPoint (not recommended by APHA 2130 B method) in order to provide an estimated turbidity on the original samples as per customer request. Reporting of estimated turbidity is not covered by the scope of our NATA accreditation.	27/10/2022	9/11/2022	2023
Point 7	<3	710	7.3	1230	405	Turbidity is offscale (greater than 1000 NTU), samples are diluted by LabPoint (not recommended by APHA 2130 B method) in order to provide an estimated turbidity on the original samples as per customer request. Reporting of estimated turbidity is not covered by the scope of our NATA accreditation.	28/10/2022	9/11/2022	2023
Point 7	<3	17	7.7	26.3	454		31/10/2022	9/11/2022	2023
Point 7	<3	9	7.7	12.2	452		1/11/2022	9/11/2022	2023
Point 7	<3	5	7.8	6.21	450		2/11/2022	9/11/2022	2023
Point 7	<3	21	8.2	28.6	435		14/11/2022	29/11/2022	2023
Point 7	<3	19	8.3	33.2	437		15/11/2022	29/11/2022	2023
Point 7	<3	4	7.8	4.89	438		16/11/2022	29/11/2022	2023
Point 7	<3	18	7.8	20.6	456		17/11/2022	29/11/2022	2023
Point 7	<3	4	7.6	5.15	660		19/01/2023	3/02/2023	2023
Point 7	<3	18	8.4	20.1	450		20/01/2023	3/02/2023	2023
Point 7	<3	10	8.2	10.7	460		21/01/2023	6/02/2023	2023
Point 7	<3	11	7.8	14.2	433		22/01/2023	6/02/2023	2023
Point 7	<3	6	8	7.15	413		23/01/2023	6/02/2023	2023
Point 7	<3	6	7.9	6.92	363		28/01/2023	20/02/2023	2023
Point 7	<3	1	7.6	1.54	402		29/01/2023	20/02/2023	2023
Point 7	<3	15	7.7	15.5	416		30/01/2023	20/02/2023	2023
Point 7	<3	3	7.7	2.49	348		31/01/2023	20/02/2023	2023
Point 7	<3	4	8.1	4.12	420		15/02/2023	3/03/2023	2023
Point 7	<3	21	7.8	24.3	440		16/02/2023	3/03/2023	2023
Point 7	<3	17	8.2	19.7	478		18/02/2023	3/03/2023	2023
Point 7	<3	2	8.2	2.84	466		19/02/2023	3/03/2023	2023
Point 7	<3	2	7	1.58	502		23/02/2023	13/03/2023	2023
Point 7	<3	4	7.7	4.1	393		24/02/2023	13/03/2023	2023
Point 7	<3	18	8	19.8	410		25/02/2023	13/03/2023	2023
Point 7	<3	1	6.8	1.07	452		27/02/2023	16/03/2023	2023
Point 7	<3	18	7.7	26.1	630		6/11/2023	8/11/2023	2023
Point 7	<3	8	7.6	9.26	590		7/11/2023	8/11/2023	2023

Monitoring Frequency Required:	Monthly	Monthly	Cont. in-line	Cont. in-line	Cont. in-line				28 Feb to 27 Feb
Limit	10	50	6.5-8.5	150 (<2016) 66 (>2017)	No Limit				
Description	Oil & Grease (mg/L)	TSS (mg/L)	pH	Turbidity (NTU)	Conductivity (µs/cm)	Comment	Date Sampled	Date Obtained	Annual Return Year
Point 7	<3	5	7.6	4.68	576		9/11/2023	17/11/2023	2023
Point 7	<3	4	7.8	4.14	580		10/11/2023	17/11/2023	2023
Point 7	<3	9	7.8	10.2	578		11/11/2023	17/11/2023	2023
Point 7	<3	<1	8.3	0.45	625		25/11/2023	22/12/2023	2023
Point 7	<3	<1	8.3	0.34	629		26/11/2023	22/12/2023	2023
Point 7	<3	<1	8.4	0.88	620		27/11/2023	22/12/2023	2023
Point 7	<3	<1	8.1	0.25	618		29/11/2023	22/12/2023	2023
Point 7	<3	4	8.3	5.95	590		30/11/2023	22/12/2023	2023
Point 7	<3	<1	8.2	0.55	587		2/12/2023	22/12/2023	2023
Point 7	<3	<1	8.3	0.59	571		3/12/2023	22/12/2023	2023
Point 7	<3	73	8.4	120	540		21/12/2023	17/01/2024	2023
Point 7	<3	1190	7.9	2030	430		22/12/2023	17/01/2024	2023
Point 7	<3	1020	7.7	1700	410		23/12/2023	17/01/2024	2023
Point 7	<3	810	7.6	1350	425		24/12/2023	17/01/2024	2023
Point 7	<3	3	7.6	4.85	450		2/01/2024	17/01/2024	2023
Point 7	<3	6	7	8.75	470		9/01/2024	22/01/2024	2023
Point 7	<3	1	7.6	3.3	475		10/01/2024	22/01/2024	2023
Point 7	<3	2	8.4	3.6	478		15/01/2024	25/01/2024	2023
Point 7	<3	3	8.1	4.42	432		16/01/2024	25/01/2024	2023
Point 7	<3	5	8.4	3.8	430		17/01/2024	25/01/2024	2023
Point 7	<3	11	8.4	12.9	460		18/01/2024	25/01/2024	2023
Point 7	<3	5	8.3	5.4	592		19/02/2024	28/02/2024	2023
Point 7	<3	14	7.8	19.1	594		20/02/2024	28/02/2024	2023
Point 7	<3	30	8.1	40.4	540		21/02/2024	6/03/2024	2023
Point 7	<3	13	7.7	16.5	530		22/02/2024	6/03/2024	2023
Point 7	<3	3	7.6	4.85	520		23/02/2024	8/03/2024	2023
Point 7	<3	3	8.1	3.72	530		26/02/2024	8/03/2024	2023
Number of Samples required	12	12	12	12	12				2023
Number of Samples	123	123	123	123	123				2023
Lowest Sample	0	0	6.6	0.25	183				2023
Mean of Sample	0.0	619.1	7.7	878.5	503.9				2023
Highest Sample	0	4820	8.4	6800	1170				2023
Point 7	<3	1	7	0.86	660		4/04/2024	19/04/2024	2024
Point 7	<3	2840	8.4	4700**	237		5/04/2024	19/04/2024	2024
Point 7	<3	6250	7.6	9700**	219		6/04/2024	19/04/2024	2024
Point 7	<3	3960	7.5	6550	308		10/04/2024	26/04/2024	2024
Point 7	<3	32	7.9	40.1	538		8/05/2024	27/05/2024	2024
Point 7	<3	2	7.7	2.84	530		9/05/2024	27/05/2024	2024
Point 7	<3	75	7.7	275	476		10/05/2024	27/05/2024	2024
Point 7	<3	33	7.7	45.4	525		14/05/2024	27/05/2024	2024
Point 7	<3	18	7.6	24.8	532		15/05/2024	27/05/2024	2024
Point 7	<3	3	7.6	4.12	550		16/05/2024	30/05/2024	2024
Point 7	<3	4	7.7	4.85	569		17/05/2024	30/05/2024	2024
Point 7	<3	4	8.3	4.63	540		3/06/2024	24/06/2024	2024
Point 7	<3	14	7.9	14.2	522		4/06/2024	24/06/2024	2024

Monitoring Frequency Required:	Monthly	Monthly	Cont. in-line	Cont. in-line	Cont. in-line				28 Feb to 27 Feb
Limit	10	50	6.5-8.5	150 (<2016) 66 (>2017)	No Limit				
Description	Oil & Grease (mg/L)	TSS (mg/L)	pH	Turbidity (NTU)	Conductivity (µs/cm)	Comment	Date Sampled	Date Obtained	Annual Return Year
Point 7	<3	28	7.8	34.8	510		5/06/2024	24/06/2024	2024
Point 7	<3	24	7.8	30.1	520		6/06/2024	24/06/2024	2024
Point 7	<3	17	7.8	20.5	498		7/06/2024	24/06/2024	2024
Point 7	<3	12	7.5	14.6	411		8/06/2024	24/06/2024	2024
Point 7	<3	13	7.6	15.2	450		9/06/2024	24/06/2024	2024
Point 7	<3	14	7.7	15.6	510		10/06/2024	24/06/2024	2024
Point 7	<3	7	7.9	7.54	530		12/06/2024	8/07/2024	2024
Point 7	<3	6	8.1	6.32	585		15/06/2024	8/07/2024	2024
Point 7	<3	8	8.2	14.3	678		4/07/2024	22/07/2024	2024
Point 7	<3	8	8.3	13.4	719		5/07/2024	22/07/2024	2024
Point 7	<3	13	8.3	21.1	725		6/07/2024	23/07/2024	2024
Point 7	<3	12	8	17.9	735		8/07/2024	23/07/2024	2024
Point 7	<3	18	7.8	29	870		15/08/2024	28/08/2024	2024
Point 7	<3	18	8.2	26.2	895		16/08/2024	28/08/2024	2024
Point 7	<3	14	8.1	17.5	650		1/10/2024	15/10/2024	2024
Point 7	<3	18	7.6	23.4	520		2/10/2024	15/10/2024	2024
Point 7	<3	2	7.4	4.74	555		18/12/2024	7/01/2024	2024
Point 7	<3	4	7.7	6.55	548		19/12/2024	7/01/2024	2024
Point 7	<3	18	7.8	19.4	550		20/12/2024	7/01/2024	2024
Point 7	<3	15	8.3	16.9	560		21/12/2024	15/01/2024	2024
Point 7	<3	8	8.4	8.99	620		8/01/2025	23/01/2025	2024
Point 7	<3	8	8.2	9.42	611		9/01/2025	23/01/2025	2024
Point 7	<3	6	8	5.71	505		10/01/2025	23/01/2025	2024
Point 7	<3	89	7.5	155	413		11/01/2025	23/01/2025	2024
Point 7	<3	28	7.5	37.1	367		14/01/2025	31/01/2025	2024
Point 7	<3	20	7.3	29.4	365		15/01/2025	31/01/2025	2024
Point 7	<3	24	7.4	40.5	340		17/01/2025	31/01/2025	2024
Point 7	<3	5	7.4	6.35	381		21/01/2025	5/02/2025	2024
Point 7	<3	4	8.1	4.92	415		22/01/2025	5/02/2025	2024
Point 7	<3	3,670	8.4	5100	332		10/02/2025	3/03/2025	2024
Point 7	<3	6510	8	9600	286		11/02/2025	3/03/2025	2024
Point 7	<3	6590	7.8	11400	287		12/02/2025	3/03/2025	2024
Point 7	<3	22	7.9	46.2	1470		21/02/2025	6/03/2025	2024
Number of Samples required	12	12	12	12	12				2024
Number of Samples	46	46	46	46	46				2024
Lowest Sample	0	1	7	0	219				2024
Mean of Sample	0.0	677.0	7.8	749.3	514.4				2024
Highest Sample	0	6590	8.4	11400	1470				2024
Point 7	<3	24	7.2	24.8	537		1/04/2025	14/04/2025	2025
Point 7	<3	14	7.9	14.4	478		2/04/2025	14/04/2025	2025
Point 7	<3	9	7.8	8.23	479		3/04/2025	22/04/2025	2025
Point 7	<3	5	8.4	4.63	474		4/04/2025	22/04/2025	2025
Point 7	<3	10	7	11.5	520		28/04/2025	20/05/2025	2025
Point 7	<3	154	8	220	460		.0/04/2025	20/05/2025	2025
Point 7	<3	188	7.8	285	427		1/05/2025	20/05/2025	2025

Monitoring Frequency Required:	Monthly	Monthly	Cont. in-line	Cont. in-line	Cont. in-line				28 Feb to 27 Feb
Limit	10	50	6.5-8.5	150 (<2016) 66 (>2017)	No Limit				
Description	Oil & Grease (mg/L)	TSS (mg/L)	pH	Turbidity (NTU)	Conductivity (µs/cm)	Comment	Date Sampled	Date Obtained	Annual Return Year
Point 7	<3	24	7.9	30.5	435		2/05/2025	20/05/2025	2025
Point 7	<5	7230	7.9	9800	330		24/05/2025	4/06/2025	2025
Point 7	<5	7030	7.9	9920	324		25/05/2025	4/06/2025	2025
Point 7	<5	5700	7.8	8400	327		26/05/2025	4/06/2025	2025
Point 7	<5	1	8.3	1.4	580		19/05/2025	5/06/2025	2025
Point 7	<5	2	7.4	2.6	592		20/05/2025	5/06/2025	2025
Point 7	<3	3800	7.7	5300	330		27/05/2025	12/06/2025	2025
Point 7	<3	14	8.3	21.4	628		9/07/2025	29/07/2025	2025
Point 7	<3	4	8.4	6.2	655		30/07/2025	13/08/2025	2025
Point 7	<3	3	7.2	4.18	687		31/07/2025	13/08/2025	2025
Point 7	<3	13	8.4	14.2	590		1/08/2025	13/08/2025	2025
Point 7	<3	1050	8.3	1450	480		3/08/2025	15/08/2025	2025
Point 7	<3	944	8.2	1260	500		4/08/2025	15/08/2025	2025
Point 7	<3	1360	8	1800	460		5/08/2025	15/08/2025	2025
Point 7	<3	1130	7.8	1600	435		6/08/2025	21/08/2025	2025
Point 7	<3	28	8.2	45	502		9/08/2025	21/08/2025	2025
Point 7	<3	2	7.1	3.3	590		12/08/2025	21/08/2025	2025
Point 7	<3	4	7.9	3.74	589		18/08/2025	21/08/2025	2025
Point 7	<3	9	7.9	10.4	592		19/08/2025	21/08/2025	2025
Point 7	<3	17	7.9	19.5	626		20/08/2025	21/08/2025	2025
Point 7	<3	1060	7.8	1400	517		21/08/2025	24/09/2025	2025
Point 7	<3	5900	7.9	7700	410		22/08/2025	24/09/2025	2025
Point 7	<3	5860	7.9	7500	397		23/08/2025	24/09/2025	2025
Point 7	<3	1620	7.7	2300	440		24/08/2025	24/09/2025	2025
Point 7	<3	26	7.6	40.4	573		16/09/2025	7/10/2025	2025
Point 7	<3	9	6.7	10.2	595		18/09/2025	7/10/2025	2025
Point 7	<3	8	8.5	8.75	652		8/10/2025	27/10/2025	2025
Point 7	<3	21	8.3	27.8	660		10/10/2025	27/10/2025	2025
Point 7	<5	13	8.2	17.8	625		5/11/2025	25/11/2025	2025
Point 7	<5	7	8.5	6.55	654		7/11/2025	25/11/2025	2025
Point 7	<5	8	8.5	6.9	630		8/11/2025	25/11/2025	2025
Point 7	<3	5	8.3	5.5	650		19/11/2025	10/12/2025	2025
Point 7	<3	3	7	3.6	662		20/11/2025	10/12/2025	2025
Point 7	<3	5	8.4	5.65	660		21/11/2025	10/12/2025	2025
Point 7	<3	2	8.5	4.7	672		23/11/2025	10/12/2025	2025
Point 7	<3	3	7.2	2.94	730		24/11/2025	12/12/2025	2025
Point 7	<3	1	7.2	1.04	613		27/11/2025	12/12/2025	2025
Point 7	<3	2	7.6	2.15	614		28/11/2025	12/12/2025	2025
Number of Samples required	12	12	12	12	12				2025
Number of Samples	45	45	45	45	45				2025
Lowest Sample	0	1	6.7	1.04	324				2025
Mean of Sample	0.0	962.7	7.9	1317.9	541.8				2025
Highest Sample	0	7230	8.5	9920	730				2025
Point 7	3	2	8.4	2.68	645		17/01/2026		2026
Point 7	3	2840	7.8	4050	275		18/01/2026		2026

EPA Licence Number: 1027 Conditions updated 1/8/2017
Licensee Name: PGH Bricks & Pavers Pty Limited
Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178
Link to Licence: <https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=120641&SYSUID=1&LICID=1027>
Type of Discharge Point: Ambient rainfall monitoring
Sampling Point Description: Point 8 is the Rainfall Gauge located adjacent to the sediment dam. GPS coordinates advised by licensee in correspondence February 2016
Monitoring Frequency Required: Daily

Limit	No Limit							
Description	Comment	Month/Year	Min. Value	Mean Value	Max. Value	No. of Rain Days	Total (mm)	Date Published
EPL #8 - rain gauge (mm)		Apr-22	0	4.2	46	17	127.4	6/06/2022

to EPA dated 18

28 Feb to 27 Feb
Annual Return Year
2023

EPA Licence Number: 1027 Conditions updated 1/8/2017
 Licensee Name: PGH Bricks & Pavers Pty Limited
 Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178
 Link to Licence: <https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=120641&SYSUID=1&LICID=1027>
 Type of Discharge Point: Recycled water quality monitoring
 Sampling Point Description: Point 9 is the monitoring point for recycled water to be used in the manufacture of bricks
 Monitoring Frequency Required: Monthly

Limit	32	1	1	50	3	5	2	5	0.03	1	25	6.5-10.0	10	8	5	5			28 Feb to 27 Feb	
Description	Ammonia (mg/L)	Arsenic (mg/L)	Cadmium (mg/L)	Chlorine (total residual) (mg/L)	Chromium (mg/L)	Copper (mg/L)	Lead (mg/L)	Manganese (mg/L)	Mercury (mg/L)	Nickel (mg/L)	Oil and Grease (mg/L)	pH	Phosphorus (mg/L)	Polycyclic Aromatic Hydrocarbons (mg/L)	Total Petroleum Hydrocarbon C10-C36 (mg/L)	Total Petroleum Hydrocarbon C6-C9 (mg/L)	Comment	Date Sampled	Date Obtained	Annual Return Year
Point 9	<0.01	0.005	<0.0001	<0.2	<0.001	0.327	0.003	0.014	<0.0001	0.004	<5	7.58	0.01	<0.0005	0.050	0.030		13/05/15	25/05/15	
Point 9	0.44	0.013	<0.0001	<0.2	0.001	0.225	0.005	0.019	<0.0001	0.008	<5	8.8	0.05	<0.0005	0.250	0.020		15/06/15	23/06/15	2016
Point 9	0.22	0.070	<0.0001	<0.2	0.001	0.024	<0.001	0.091	<0.0001	0.022	<5	8.21	0.05	<0.5	0.750	<20		7/07/15	17/07/15	2016
Point 9	16	0.027	0.0002	<0.2	<0.001	0.411	0.002	<0.001	0.002	0.016	<5	8.17	0.02	<0.5	0.340	<20		12/08/15	1/09/15	2016
Point 9	0.21	0.031	0.0003	<0.2	0.001	0.030	<0.001	0.013	<0.0001	0.042	<5	8.29	0.05	<0.5	0.550	<20		1/09/15	21/09/15	2016
Point 9	0.04	0.022	<0.0001	<0.2	0.007	0.103	<0.001	0.005	<0.0001	0.020	<5	8.68	0.04	<0.5	0.300	<20		7/10/15	21/10/15	2016
Point 9	0.07	0.022	<0.0001	<0.2	0.003	0.027	<0.001	<0.001	<0.0001	0.056	<5	8.03	0.09	<0.5	0.390	<20		5/11/15	16/11/15	2016
Point 9	0.59	0.011	<0.0001	<0.2	<0.001	0.250	0.002	0.026	<0.0001	0.021	<5	8.17	0.24	0.540	0.550	0.200		1/12/15	11/12/15	2016
Point 9	0.1	0.016	0.0002	<0.2	<0.001	0.141	0.002	0.421	<0.0001	0.071	<5	7.99	0.53	<0.5	0.570	<20		5/01/16	20/01/16	2016
Point 9	0.04	0.015	<0.0001	<0.2	<0.001	0.018	<0.001	0.003	<0.0001	0.100	<5	8.18	0.36	<0.5	0.680	<20		2/02/16	19/02/16	2016
Number of Samples	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10				2016
Lowest Sample	0	0.005	0	0	0	0.018	0	0	0	0.004	0	7.58	0.01	0	0.05	0				2016
Mean of Sample	1.771	0.0232	0.00007	0	0.0013	0.1556	0.0014	0.0594	0	0.036	0	8.21	0.144	0.054	0.443	0.025				2016
Highest Sample	16	0.07	0.0003	0	0.007	0.411	0.005	0.421	0	0.1	0	8.8	0.53	0.54	0.75	0.2				2016
Point 9	2.76	0.011	<0.0001	<0.2	<0.001	0.012	<0.001	<0.001	<0.0001	0.121	<5	8.3	<0.01	<0.5	0.440	<20		14/03/2016	31/03/2016	2017
Point 9	1.88	0.005	<0.0001	<0.2	<0.001	0.145	0.002	0.164	<0.0001	0.055	<5	8.1	0.03	<0.5	0.330	<20		4/04/2016	20/04/2016	2017
Point 9	1.05	0.003	<0.0001	<0.2	<0.001	0.382	0.002	0.003	<0.0001	0.041	<5	7.7	0.04	<0.5	570	20		9/05/2016	11/05/2016	2017
Point 9	0.05	0.008	<0.0001	<0.2	<0.001	0.022	<0.001	0.022	<0.0001	0.110	<5	8.2	0.01	<0.5	520	30		1/06/2016	2/06/2016	2017
Point 9	0.04	0.005	0.0001	0.2	<0.001	0.077	0.001	0.011	0.000	0.350	5	8.0	0.02	0.0005	0.63	0.02		1/07/2016		2017
Point 9	0.01	0.001	0.0001	0.4	0.002	0.009	0.001	0.020	0.000	0.003	5	7.8	0.01	0.0005	0.05	0.02		1/08/2016		2017
Point 9	0.02	0.001	0.0001	0.4	0.001	0.009	0.001	0.007	0.000	0.002	5	7.3	0.01	0.0005	0.05	0.02		1/09/2016		2017
Point 9	0.06	0.001	0.0001	0.2	0.001	0.019	0.001	0.018	0.000	0.005	5	7.9	0.01	0.0005	0.05	0.02		1/10/2016		2017
Point 9	0.21	0.005	0.0001	0.2	0.001	0.027	0.001	0.036	0.000	0.010	5	7.9	0.01	0.0005	0.05	0.02		1/11/2016		2017
Point 9	0.01	0.002	0.0001	0.2	0.001	0.017	0.001	0.008	0.000	0.001	5	7.9	0.02	0.0005	0.05	0.02		1/12/2016		2017
Point 9	0.96	0.002	0.0001	0.2	0.001	0.023	0.001	0.322	0.000	0.026	5	8.1	0.03	0.0005	0.05	0.02		1/01/2017		2017
Point 9	0.02	0.001	0.0001	0.2	0.001	0.033	0.001	0.007	0.015	0.007	5	8.1	0.10	0.0005	0.05	0.02		1/02/2017		2017
Number of Samples	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12				2017
Lowest Sample	0.01	0.001	0.0000	0.0	0.000	0.009	0.000	0.000	0.000	0.001	0	7.3	0.00	0	0.1	0.0				2017
Mean of Sample	0.59	0.004	0.0001	0.2	0.001	0.065	0.001	0.052	0.001	0.061	3.33	7.9	0.02	0.0003	91.0	4.2				2017
Highest Sample	2.76	0.011	0.0001	0.4	0.002	0.382	0.002	0.322	0.015	0.350	5	8.3	0.10	0.0005	570.0	30.0				2017
Point 9	0.17	0.012	0.0001	1	0.002	0.044	0.001	0.011	0.0001	0.152	5	8.2	0.01	0.0005	0.36	0.02		Mar-18		2018
Point 9	0.07	0.006	0.0001	1	0.002	0.036	0.001	0.024	0.0001	0.208	5	8.1	0.06	0.0005	0.77	0.02		Apr-18		2018
Point 9	11.9	0.006	0.0001	0.2	0.012	0.04	0.004	0.171	0.0001	0.011	5	8.4	0.16	0.0038	0.96	0.04		May-18		2018
Point 9	14.3	0.019	0.0001	1	0.002	0.029	0.009	0.034	0.0001	0.033	5	8.2	0.01	0.0005	1.144	0.02		Jun-18		2018
Point 9	27.2	0.013	0.0001	0.02	0.002	0.04	0.006	0.053	0.0001	0.034	7	7.8	0.01	0.0005	1.11	0.02		Jul-18		2018
Point 9	6.91	0.006	0.0003	0.31	0.002	0.027	0.006	0.272	0.0001	0.02	5	7.5	0.45	0.0005	0.72	0.02		Aug-18		2018
Point 9	20.6	0.003	0.0001	0.06	0.003	0.356	0.001	0.029	0.0001	0.042	5	7.8	0.02	0.0005	0.05	0.02		Sep-18		2018
Point 9	32	0.003	0.0001	0.2	0.003	0.419	0.017	0.174	0.0001	0.086	5	8.1	0.03	0.0005	0.91	0.02		Oct-18		2018
Point 9	0.2	0.001	0.0001	0.21	0.001	0.307	0.005	0.016	0.0001	0.007	5	8.0	0.01	0.0005	0.05	0.02		Nov-18		2018
Point 9	0.09	0.009	0.0001	0.2	0.006	0.025	0.001	0.043	0.0001	0.066	6	8.2	0.03	0.0005	1.72	0.02		Dec-18		2018
Point 9	0.76	0.001	0.0001	0.2	0.002	0.025	0.002	0.022	0.0001	0.003	5	7.5	0.01	0.0005	0.23	0.02		Jan-19		2018
Point 9	1.24	0.001	0.0001	0.2	0.005	0.027	0.003	0.027	0.0001	0.006	5	7.4	0.03	0.0005	0.21	0.02		Feb-19		2018
Number of Samples	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12				2018
Lowest Sample	0.07	0.001	0.0001	0.0	0.001	0.025	0.001	0.011	0.0001	0.003	5	7.4	0.01	0.0005	0.1	0.0				2018
Mean of Sample	9.62	0.007	0.0001	0.4	0.004	0.115	0.005	0.073	0.0001	0.056	5.25	7.9	0.07	0.0008	0.7	0.0				2018
Highest Sample	32.00	0.019	0.0003	1.0	0.012	0.419	0.017	0.272	0.0001	0.208	7	8.4	0.45	0.0038	1.7	0.0				2018

No longer in use

EPA Licence Number:
Licensee Name:
Licensee Address:
Link to Licence:

L1027
PGH Bricks & Pavers Pty Limited
Lot 7 Cecil Road, Cecil Park, NSW, 2178
<https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=120641&SYSUID=1&LICID=1027>



EPL No. 1027
MGA Zone 56

Legend

- 1027 Cecil Park EPL Points
- ▭ Cecil Park Cadastral Boundaries

Cecil Park Nearmap Date20200122