


Interior-Steel Frame-Staggered Stud-CSR1275
FRL - /90/90 OR
60/60/60 OR
90/90/90* ACR 15%
(From both sides)



Wall Schedule

| Wall Name | Manufacturer | Fire Rating | Acoustic Rating |
|---|--------------|---|---|
| Interior-Steel Frame-Staggered Stud-CSR1275-150mm | CSR GYPROCK | - /90/90 OR 60/60/60 OR 90/90/90* ACR 15% (From both sides) | ACOUSTIC OPT (A 52/46) (B 60/52) (C 61/53) (D 59/52) (E 62/52) |
| Interior-Steel Frame-Staggered Stud-CSR1275-208mm | CSR GYPROCK | - /90/90 OR 60/60/60 OR 90/90/90* ACR 15% (From both sides) | ACOUSTIC OPT (A 54/48) (B 61/53) (C 62/54) (D 60/53) (E 63/53) |

CSR BUILDING PRODUCTS LTD

Head Office: Trinit 3, 39 DELHI RD, NORTH RYDE NSW 2113
LOCKED BAG 1345, NORTH RYDE BC NSW 1670
A.B.N. 55 008 631 356 Ph: 1300 306 556 www.gyprock.com.au

TITLE Interior-Steel Frame-Staggered Stud-CSR1275

SCALE

1:20 @ A4

SHEET SIZE

A4

DRAWN

DL

DATE

13.10.16

SHEET NO.

1 of 1

CHECK

DL

REVISION

A

CSR