



Interior-Timber Frame-Party Wall with 41mm Fire Barrier-CSR 2465
FRL 90/90/90
(From both sides)



Wall Schedule

Wall Name	Manufacturer	Fire Rating	Acoustic Rating
Interior-Timber Frame-Party Wall with 41mm Fire Barrier-CSR2465-261mm	CSR GYPROCK	90/90/90 (From both sides)	ACOUSTIC OPT (A 64/52) (B 66/54) (C 66/54)
Interior-Timber Frame-Party Wall with 41mm Fire Barrier-CSR2465-301mm	CSR GYPROCK	90/90/90 (From both sides)	ACOUSTIC OPT (A 65/53) (B 67/55) (C 67/55)

CSR BUILDING PRODUCTS LTD

Head Office: Trinit 3, 39 DELHI RD, NORTH RYDE NSW 2113
LOCKED BAG 1345, NORTH RYDE BC NSW 1670
A.B.N. 55 008 631 356 Ph: 1300 306 556 www.gyprock.com.au

TITLE Interior-Timber Frame-Party Wall with
41mm Fire Barrier-CSR2465

SCALE	SHEET SIZE	DRAWN	DATE
1:20 @	A	DL	08.05.2020
	SHEET NO.	CHECK	REVISION
	1 of	DL	A

CSR