



Interior-Steel Frame-Shaft Wall- CSR 7675  
FRL -/120/120  
(From both sides)



## Wall Schedule

Wall Name	Manufacturer	Fire Rating	Acoustic Rating
Interior-Steel Frame-Shaft Wall- CSR7675-96mm	CSR GYPROCK	-/120/120 (From both sides)	ACOUSTIC OPT (A 40/33) (B 47/40) (C -) (D -) (E -)
Interior-Steel Frame-Shaft Wall- CSR7675-134mm	CSR GYPROCK	-/120/120 (From both sides)	ACOUSTIC OPT (A 45/39) (B 52/46) (C 54/48) (D 50/44) (E 54/48)

## CSR BUILDING PRODUCTS LTD

Head Office: Triniti 3, 39 DELHI RD, NORTH RYDE NSW 2113  
LOCKED BAG 1345, NORTH RYDE BC NSW 1670  
A.B.N. 55 008 631 356 Ph: 1300 306 556 www.gyprock.com.au

TITLE Interior-Steel Frame-Shaft Wall- CSR7675

SCALE

1:20 @ A4

SHEET SIZE

A4

DRAWN

DL

DATE

11.10.16

SHEET NO.

1 of 1

CHECK

DL

REVISION

A

**CSR**