

Node ID	Logger Nan Date	Time	Humidity (%)	Rain(TOT)	SD WD(RAW)	SD WS(RAW)	Temp MHP	Wind Direct	Wind Speed(RAW)
SYS 01465	1/06/2024	9:00:00	69.9	0	10	0.8	15	229	2
SYS 01465	2/06/2024	9:00:00	60.9	0	11	1.5	14.1	236	5
SYS 01465	3/06/2024	9:00:00	78.6	0	18	0.8	11.3	352	1.8
SYS 01465	4/06/2024	9:00:00	86.4	0	7	0.8	8	6	2.3
SYS 01465	5/06/2024	9:00:00	83.4	0	17	0.8	10.4	316	1.8
SYS 01465	6/06/2024	9:00:00	90.6	0.2	11	0.8	13.3	247	1.5
SYS 01465	7/06/2024	9:00:00	84	0.4	12	1.5	13.8	213	3
SYS 01465	8/06/2024	9:00:00	77.3	0	12	0.8	14	230	2.3
SYS 01465	9/06/2024	9:00:00	96.1	0	23	0.5	9.6	82	0.5
SYS 01465	10/06/2024	9:00:00	69.6	0	15	0.8	13.1	202	3
SYS 01465	11/06/2024	9:00:00	97.5	0	0	0	6.8	153	0.3
SYS 01465	12/06/2024	9:00:00	46.5	0	18	1.5	16.3	248	4.3
SYS 01465	13/06/2024	9:00:00	59.1	0	10	1.3	10.7	231	4.3
SYS 01465	14/06/2024	9:00:00	75.3	0	14	0.8	10.5	235	1.8
SYS 01465	15/06/2024	9:00:00	85.2	0.2	8	0.8	11.4	227	2
SYS 01465	16/06/2024	9:00:00	65.9	0	19	0.5	10.5	207	1.5
SYS 01465	17/06/2024	9:00:00	55.7	0	10	1	13.2	244	5.3
SYS 01465	18/06/2024	9:00:00	68.7	0	9	0.5	10.4	280	1.8
SYS 01465	19/06/2024	9:00:00	83.2	0	8	0.5	7	261	1.3
SYS 01465	20/06/2024	9:00:00	89.6	0	14	0.8	4.6	4	1.3
SYS 01465	21/06/2024	9:00:00	87.6	0	8	0.3	8.8	254	2
SYS 01465	22/06/2024	9:00:00	95.2	0	12	0.5	9.4	300	1.3
SYS 01465	23/06/2024	9:00:00	72.6	0	13	1	12.6	192	2.8
SYS 01465	24/06/2024	9:00:00	97.1	0	5	0.3	6.8	10	0.3
SYS 01465	25/06/2024	9:00:00	96.5	0	13	0.3	5.9	104	1
SYS 01465	26/06/2024	9:00:00	96.5	0	20	0.5	7.4	359	0.3
SYS 01465	27/06/2024	9:00:00	68.2	0	15	0	11.2	305	0.3
SYS 01465	28/06/2024	9:00:00	83.3	0	24	0.3	8.2	67	1
SYS 01465	29/06/2024	9:00:00	97.6	0	18	0.3	4.7	219	1.3
SYS 01465	30/06/2024	9:00:00	97.2	0	15	0	12.3	213	0.5
SYS 01465	1/07/2024	9:00:00	72.5	0	11	0.8	9	259	3.8
SYS 01465	2/07/2024	9:00:00	78.3	0	13	1.3	11.2	207	5.8
SYS 01465	3/07/2024	9:00:00	79.3	0	12	1.3	11.9	207	4
SYS 01465	4/07/2024	9:00:00	85.4	0	10	0.5	12.9	225	3.8
SYS 01465	5/07/2024	9:00:00	82.6	0	12	0.8	13.1	234	2.3
SYS 01465	6/07/2024	9:00:00	66.4	0	21	0.3	12.8	173	1.5
SYS 01465	7/07/2024	9:00:00	86.6	0	10	0.3	11.6	258	2
SYS 01465	8/07/2024	9:00:00	94.2	0	13	0.3	12.8	309	1.3
SYS 01465	9/07/2024	9:00:00	97.7	0	69	0.5	11.9	342	0.3
SYS 01465	10/07/2024	9:00:00	96.4	0	10	0.5	9.6	359	1.3
SYS 01465	11/07/2024	9:00:00	91.4	0	13	0.3	9.2	359	0.5
SYS 01465	12/07/2024	9:00:00	96.9	0	17	0.8	8.4	308	2.3
SYS 01465	13/07/2024	9:00:00	63.3	0	11	1	12.7	210	2.5
SYS 01465	14/07/2024	9:00:00	83.8	0	9	0.3	7.6	344	0.5
SYS 01465	15/07/2024	9:00:00	48	0	25	0.8	10.6	237	2.5
SYS 01465	16/07/2024	9:00:00	51.3	0	13	1.3	12.2	298	4.3
SYS 01465	17/07/2024	9:00:00	61.2	0	10	1	13.4	253	4.3
SYS 01465	18/07/2024	9:00:00	84.3	0	15	0.5	9.1	146	0.8
SYS 01465	19/07/2024	9:00:00	67.3	0	13	0.5	7.7	343	1
SYS 01465	20/07/2024	9:00:00	49.4	0	16	1.8	14.9	289	6
SYS 01465	21/07/2024	9:00:00	46.1	0	16	0.8	12.7	232	3.5
SYS 01465	22/07/2024	9:00:00	77	0	12	0.3	8.4	340	0.3
SYS 01465	23/07/2024	9:00:00	88.1	0	13	0.5	7.4	348	1
SYS 01465	24/07/2024	9:00:00	97.1	0	16	0	6.1	12	0.8
SYS 01465	25/07/2024	9:00:00	83	0	23	0.5	11.6	38	1
SYS 01465	26/07/2024	9:00:00	95.8	0	12	0.3	12	259	1.8
SYS 01465	27/07/2024	9:00:00	95.9	0	19	0.5	7	232	2.3
SYS 01465	28/07/2024	9:00:00	57.8	0	13	1.5	10.2	259	3.8
SYS 01465	29/07/2024	9:00:00	43.8	0	9	1.5	10.2	222	6.8
SYS 01465	30/07/2024	9:00:00	57.7	0	10	1	10.7	225	5.5
SYS 01465	31/07/2024	9:00:00	56.1	0	11	1.5	11.9	232	5
SYS 01465	1/08/2024	9:00:00	58.2	0	8	1.8	12.5	222	8
SYS 01465	2/08/2024	9:00:00	64.7	0	11	1	12.3	215	2.5

SYS 01465	3/08/2024	9:00:00	94.9	0	17	0.3	7.4	41	1
SYS 01465	4/08/2024	9:00:00	73.5	0	28	0.3	10	83	0.5
SYS 01465	5/08/2024	9:00:00	94.9	0	87	0.5	7.9	213	1
SYS 01465	6/08/2024	9:00:00	64.5	0	9	0.8	12.8	245	3.8
SYS 01465	7/08/2024	9:00:00	84.2	0	42	0.3	7.3	308	0.5
SYS 01465	8/08/2024	9:00:00	87.6	0	15	0.5	8.3	345	0
SYS 01465	9/08/2024	9:00:00	96.3	0	69	0.3	9.6	111	0.8
SYS 01465	10/08/2024	9:00:00	82.6	0	25	0.3	11.5	271	1
SYS 01465	11/08/2024	9:00:00	82.5	0	14	0.8	13.2	223	1.3
SYS 01465	12/08/2024	9:00:00	83.6	0	10	0.5	13	230	1
SYS 01465	13/08/2024	9:00:00	96.8	0	13	0.3	14.1	192	0.5
SYS 01465	14/08/2024	9:00:00	96.9	0	13	0.3	15.4	229	0.5
SYS 01465	15/08/2024	9:00:00	84.6	0	8	0.3	14.6	232	2.5
SYS 01465	16/08/2024	9:00:00	80.7	0	73	0.3	15.9	213	0.5
SYS 01465	17/08/2024	9:00:00	66.5	0.2	18	0.5	16	331	1
SYS 01465	18/08/2024	9:00:00	59.7	0	13	1	15.7	235	3.5
SYS 01465	19/08/2024	9:00:00	72.5	0	13	0.5	13.7	275	0.5
SYS 01465	20/08/2024	9:00:00	83.7	0	57	0.3	13.1	359	1.3
SYS 01465	21/08/2024	9:00:00	80.6	0	15	0.5	15.3	185	1.5
SYS 01465	22/08/2024	9:00:00	81.3	0	26	0.8	12.9	240	0.5
SYS 01465	23/08/2024	9:00:00	77.2	0	25	0.5	13	359	0.8
SYS 01465	24/08/2024	9:00:00	80.5	0	12	1	13.5	341	2.5
SYS 01465	25/08/2024	9:00:00	78.3	0	23	0.5	16.5	359	1.3
SYS 01465	26/08/2024	9:00:00	35.2	0	36	0.5	19.2	204	1.5
SYS 01465	27/08/2024	9:00:00	63.2	0	17	0.5	14.4	280	1
SYS 01465	28/08/2024	9:00:00	25.8	0	13	1.5	23.5	310	8.3
SYS 01465	29/08/2024	9:00:00	42.4	0	16	1.3	16.5	247	3.3
SYS 01465	30/08/2024	9:00:00	44.1	0	10	0.8	19.8	359	3.5
SYS 01465	31/08/2024	9:00:00	36.1	0	10	2	18.3	262	10.5
SYS 01465	1/09/2024	9:00:00	50	0	19	0.5	16	218	1.8
SYS 01465	2/09/2024	9:00:00	19.7	0	18	1.5	23	295	5.8
SYS 01465	3/09/2024	9:00:00	41.5	0	12	1.8	13.2	255	6.3
SYS 01465	4/09/2024	9:00:00	69	0	19	0.3	10.7	350	1.5
SYS 01465	5/09/2024	9:00:00	88.4	0	36	0.3	10.7	75	0
SYS 01465	6/09/2024	9:00:00	53	0	10	0.8	19.8	359	4
SYS 01465	7/09/2024	9:00:00	42.9	0	17	0.5	23.6	137	1.5
SYS 01465	8/09/2024	9:00:00	56.1	0	11	0.5	15.2	207	1.8
SYS 01465	9/09/2024	9:00:00	48	0	14	1.3	17.6	348	4.3
SYS 01465	10/09/2024	9:00:00	56.6	0	27	0.3	16.3	190	0.3
SYS 01465	11/09/2024	9:00:00	76.9	0	33	0.5	15.7	12	1.3
SYS 01465	12/09/2024	9:00:00	65.3	0	20	1	17.2	200	4.8
SYS 01465	13/09/2024	9:00:00	56.2	0	11	1.3	13	199	3.5
SYS 01465	14/09/2024	9:00:00	71.5	0	28	0.3	13.4	116	0.8
SYS 01465	15/09/2024	9:00:00	42.6	0	19	1.5	12.6	198	6.8
SYS 01465	16/09/2024	9:00:00	50	0	10	0.8	11.4	359	1.5
SYS 01465	17/09/2024	9:00:00	52.2	0	19	1	14.5	241	1.3
SYS 01465	18/09/2024	9:00:00	46.1	0	61	0.5	15.2	359	0.8
SYS 01465	19/09/2024	9:00:00	42.4	0	16	0.8	18.1	88	1.8
SYS 01465	20/09/2024	9:00:00	36.3	0	13	1.8	16.6	264	5
SYS 01465	21/09/2024	9:00:00	35.8	0	57	0.5	18.7	136	1.3
SYS 01465	22/09/2024	9:00:00	47.2	0	12	1	17.9	347	1
SYS 01465	23/09/2024	9:00:00	52.2	0	13	0.8	18.1	359	1.8
SYS 01465	24/09/2024	9:00:00	60.5	0	47	0.3	17.7	323	0
SYS 01465	25/09/2024	9:00:00	67.4	0	2	0	18.9	273	0.3
SYS 01465	26/09/2024	9:00:00	91.5	0.2	11	1.3	10.5	234	4.3
SYS 01465	27/09/2024	9:00:00	69.3	0	20	1	13.3	124	4.8
SYS 01465	28/09/2024	9:00:00	75.3	0	28	0.8	15.5	210	1.8
SYS 01465	29/09/2024	9:00:00	78.1	0	18	0.8	16.5	266	1.5
SYS 01465	30/09/2024	9:00:00	68.4	0	11	1.5	18.3	205	5.3
SYS 01465	1/10/2024	9:00:00	64.7	0	59	0.3	17.2	343	0.3
SYS 01465	2/10/2024	9:00:00	95.6	0	18	0.5	14	185	1.8
SYS 01465	3/10/2024	9:00:00	57.8	0	37	0.8	18.2	146	0.3
SYS 01465	4/10/2024	9:00:00	69.6	0	37	0.5	16.2	18	1.3
SYS 01465	5/10/2024	9:00:00	51.7	0	13	1.5	22.3	262	5.3

SYS 01465	6/10/2024	9:00:00	44.9	0	42	0.5	21.3	327	1
SYS 01465	7/10/2024	9:00:00	53.1	0	5	1	21.2	359	3
SYS 01465	8/10/2024	9:00:00	90.5	0	20	0.8	13.6	102	2
SYS 01465	9/10/2024	9:00:00	57.2	0	21	0.8	15.3	210	4
SYS 01465	10/10/2024	9:00:00	68.6	0	14	0.5	17.3	359	3
SYS 01465	11/10/2024	9:00:00	65.4	0	91	0.5	20.3	359	1.8
SYS 01465	12/10/2024	9:00:00	67.6	0	17	1	15.3	168	3.5
SYS 01465	13/10/2024	9:00:00	61	0	45	0.8	16.5	251	0
SYS 01465	14/10/2024	9:00:00	68.3	0	27	0.5	16.8	273	0.3
SYS 01465	15/10/2024	9:00:00	73.5	0.2	20	1.3	17	190	4.5
SYS 01465	16/10/2024	9:00:00	57.8	0	42	0.8	17.1	111	2
SYS 01465	17/10/2024	9:00:00	69.4	0	31	1	17	309	1
SYS 01465	18/10/2024	9:00:00	95.7	0	10	0.5	16.8	342	1.8
SYS 01465	19/10/2024	9:00:00	56.2	0	14	1.5	22.5	198	4.5
SYS 01465	20/10/2024	9:00:00	60.4	0	28	0.8	19.8	123	2.5
SYS 01465	21/10/2024	9:00:00	56.1	0	11	1.3	18.2	155	4
SYS 01465	22/10/2024	9:00:00	57.2	0	19	0.5	16.9	359	0.8
SYS 01465	23/10/2024	9:00:00	57.7	0	44	0.5	21.4	28	1.3
SYS 01465	24/10/2024	9:00:00	50.1	0	24	0.8	21.4	157	3.5
SYS 01465	25/10/2024	9:00:00	44.3	0	19	0.8	17.1	176	3
SYS 01465	26/10/2024	9:00:00	28.5	0	33	0.8	15.9	226	3
SYS 01465	27/10/2024	9:00:00	65.5	0	38	0.5	16.4	5	1
SYS 01465	28/10/2024	9:00:00	43.7	0	29	0.5	23.1	356	0.8
SYS 01465	29/10/2024	9:00:00	62.2	0	15	0.8	19.2	359	2
SYS 01465	30/10/2024	9:00:00	62.1	0	10	1	20.6	359	3
SYS 01465	31/10/2024	9:00:00	55.1	0	23	0.3	22.8	44	1.5
SYS 01465	1/11/2024	9:00:00	62.5	0	40	0.5	19	262	0
SYS 01465	2/11/2024	9:00:00	72.7	0	21	0.8	16.4	175	2
SYS 01465	3/11/2024	9:00:00	76.2	0	18	0.5	20.1	313	1.8
SYS 01465	4/11/2024	9:00:00	76.4	0	26	0.5	19.3	26	2.5
SYS 01465	5/11/2024	9:00:00	71.1	0	36	0.5	20.2	67	0.5
SYS 01465	6/11/2024	9:00:00	66.1	0	15	0.8	23	359	2.8
SYS 01465	7/11/2024	9:00:00	72.2	0	29	0.3	26.1	205	1.8
SYS 01465	8/11/2024	9:00:00	46.4	0	21	1.3	22.2	271	3.5
SYS 01465	9/11/2024	9:00:00	64.9	0	26	0.5	20.2	258	1.5
SYS 01465	10/11/2024	9:00:00	58.2	0	39	1	24.5	111	0.8
SYS 01465	11/11/2024	9:00:00	70	0	17	0.5	18	181	1.3
SYS 01465	12/11/2024	9:00:00	68	0	25	0.8	22.1	79	1.3
SYS 01465	13/11/2024	9:00:00	81	0	23	0.8	20.3	254	0.5
SYS 01465	14/11/2024	9:00:00	69	0	17	1.3	19.2	147	2.8
SYS 01465	15/11/2024	9:00:00	76.4	0	25	0.8	18.5	197	1.8
SYS 01465	16/11/2024	9:00:00	73.1	0	16	1.3	21.2	37	2.5
SYS 01465	17/11/2024	9:00:00	61.8	0	10	1.3	25.7	12	3.8
SYS 01465	18/11/2024	9:00:00	47	0	11	0.8	20.5	280	5.8
SYS 01465	19/11/2024	9:00:00	72.8	0	12	0.5	18.8	104	4
SYS 01465	20/11/2024	9:00:00	55.3	0	24	1	21.9	341	1.8
SYS 01465	21/11/2024	9:00:00	59.5	0	32	1	21.3	359	1.5
SYS 01465	22/11/2024	9:00:00	63.4	0	22	1	21.8	352	3.3
SYS 01465	23/11/2024	9:00:00	63	0	31	1	24.2	100	0.8
SYS 01465	24/11/2024	9:00:00	47.1	0	40	0.8	26.3	25	2.8
SYS 01465	25/11/2024	9:00:00	67	0	37	0.8	23.8	189	0.8
SYS 01465	26/11/2024	9:00:00	62.4	0	24	0.5	26.2	93	1.8
SYS 01465	27/11/2024	9:00:00	45.2	0	49	0.8	30.9	68	1
SYS 01465	28/11/2024	9:00:00	47.4	0	56	0.5	29.3	238	0.8
SYS 01465	29/11/2024	9:00:00	84.2	0	19	0.5	22.2	79	1.8
SYS 01465	30/11/2024	9:00:00	91.2	0	14	1	22.8	53	1.8
SYS 01465	1/12/2024	9:00:00	71.6	0	38	1	25.2	23	1.3
SYS 01465	2/12/2024	9:00:00	62.4	0	39	0.8	25.9	359	1.3
SYS 01465	3/12/2024	9:00:00	60.3	0	22	0.5	26.8	359	2.3
SYS 01465	4/12/2024	9:00:00	60.9	0	22	0.5	24.1	59	2.3
SYS 01465	5/12/2024	9:00:00	70	0	14	1	22.9	358	0.5
SYS 01465	6/12/2024	9:00:00	64.9	0	46	0.8	28	50	0.8
SYS 01465	7/12/2024	9:00:00	100	0.4	11	1	23.5	345	1.3
SYS 01465	8/12/2024	9:00:00	61.9	0	37	1	28.4	10	0.5

SYS 01465	9/12/2024	9:00:00	75.8	0	15	0.8	21.1	63	2
SYS 01465	10/12/2024	9:00:00	50	0	33	0.8	25.1	125	2
SYS 01465	11/12/2024	9:00:00	68.6	0	15	0.5	22.1	1	3.3
SYS 01465	12/12/2024	9:00:00	47.6	0	54	0.8	25.5	258	1.8
SYS 01465	13/12/2024	9:00:00	51.7	0	58	0.3	26.3	343	1.3
SYS 01465	14/12/2024	9:00:00	62.7	0	52	0.5	24.7	327	1.8
SYS 01465	15/12/2024	9:00:00	72.8	0	26	0.3	25.1	180	0.8
SYS 01465	16/12/2024	9:00:00	63.3	0	17	1.3	26.9	53	2.5
SYS 01465	17/12/2024	9:00:00	63.3	0	62	0.5	27.8	146	0.8
SYS 01465	18/12/2024	9:00:00	73.4	0	20	1.3	18.8	179	3.3
SYS 01465	19/12/2024	9:00:00	47.7	0	20	1.3	20.8	163	3.5
SYS 01465	20/12/2024	9:00:00	46.5	0	93	0.8	22.6	60	2.3
SYS 01465	21/12/2024	9:00:00	52.8	0	56	0.5	25.4	322	1
SYS 01465	22/12/2024	9:00:00	64.9	0	73	0.3	21.9	241	0.8
SYS 01465	23/12/2024	9:00:00	30.1	0	11	2	25.6	258	6.5
SYS 01465	24/12/2024	9:00:00	34.3	0	25	1	20.8	251	1.5
SYS 01465	25/12/2024	9:00:00	50.9	0	55	1.3	23.3	359	3.8
SYS 01465	26/12/2024	9:00:00	47.2	0	15	1.5	26	24	3.8
SYS 01465	27/12/2024	9:00:00	57.7	0	10	1.5	26.6	359	6.3
SYS 01465	28/12/2024	9:00:00	54.3	0	52	0.8	23.3	25	2.3
SYS 01465	29/12/2024	9:00:00	32.4	0	24	1.5	26.2	213	5.3
SYS 01465	30/12/2024	9:00:00	62	0	42	1	22.4	4	0.5
SYS 01465	31/12/2024	9:00:00	71.6	0	15	1.3	23.6	93	2.5
SYS 01465	1/01/2025	9:00:00	54.4	0	18	1.3	26	351	1.3
SYS 01465	2/01/2025	9:00:00	63.5	0	19	1	21.3	138	2.5
SYS 01465	3/01/2025	9:00:00	70.5	0	46	0.8	21.5	233	0.3
SYS 01465	4/01/2025	9:00:00	52.3	0	19	1.5	25.4	18	4.5
SYS 01465	5/01/2025	9:00:00	61.4	0	44	0.5	25.3	77	1.3
SYS 01465	6/01/2025	9:00:00	46.1	0	40	0.8	29.1	333	1.5
SYS 01465	7/01/2025	9:00:00	76.6	0	18	1	19.9	185	3.8
SYS 01465	8/01/2025	9:00:00	70.3	0	18	1.5	19.1	166	6
SYS 01465	9/01/2025	9:00:00	70.1	0	19	1.5	23	171	4
SYS 01465	10/01/2025	9:00:00	77	0	16	0.8	23.5	110	4.3
SYS 01465	11/01/2025	9:00:00	86.2	0	17	0.3	21.6	229	1.3
SYS 01465	12/01/2025	9:00:00	63.8	0	34	0.8	25	359	0.5
SYS 01465	13/01/2025	9:00:00	67.3	0	88	0.5	24.9	359	1.8
SYS 01465	14/01/2025	9:00:00	73.6	0	13	0.5	23.9	232	0.3
SYS 01465	15/01/2025	9:00:00	77.9	0	46	0.8	25	18	2.3
SYS 01465	16/01/2025	9:00:00	86.9	0	9	1.8	18.2	211	3
SYS 01465	17/01/2025	9:00:00	58.8	0	14	1.5	19.2	186	5
SYS 01465	18/01/2025	9:00:00	72.6	0	22	1.5	22.1	123	4.3
SYS 01465	19/01/2025	9:00:00	58.2	0	20	1.3	21.2	194	3
SYS 01465	20/01/2025	9:00:00	56.4	0	28	0.5	20.5	134	2
SYS 01465	21/01/2025	9:00:00	65.2	0	59	0.8	21.2	68	1
SYS 01465	22/01/2025	9:00:00	73.1	0	38	0.8	23.1	359	1.3
SYS 01465	23/01/2025	9:00:00	67.4	0	20	1	20.7	153	2
SYS 01465	24/01/2025	9:00:00	67.1	0	28	1.3	22.7	172	2.5
SYS 01465	25/01/2025	9:00:00	57.7	0	37	1	22.5	105	1
SYS 01465	26/01/2025	9:00:00	69.9	0	63	0.8	23.8	99	1.8
SYS 01465	27/01/2025	9:00:00	69.8	0	20	0.8	26.1	359	1.8
SYS 01465	28/01/2025	9:00:00	64.4	0.2	32	0.5	29.7	63	1.3
SYS 01465	29/01/2025	9:00:00	70.3	0	20	1	20.9	178	2.5
SYS 01465	30/01/2025	9:00:00	92.7	0	14	1	19.7	214	2.5
SYS 01465	31/01/2025	9:00:00	72.4	0	22	1.3	22.2	180	4.3
SYS 01465	1/02/2025	9:00:00	76.9	0	22	1	22.8	98	2.8
SYS 01465	2/02/2025	9:00:00	58.4	0	26	1	25.4	4	1.3
SYS 01465	3/02/2025	9:00:00	65.6	0	70	0.8	25	359	2
SYS 01465	4/02/2025	9:00:00	65.4	0	39	0.8	25.6	7	2.3
SYS 01465	5/02/2025	9:00:00	61.4	0	49	1	29	140	1.3
SYS 01465	6/02/2025	9:00:00	59.1	0	46	0.5	26.4	26	0.8
SYS 01465	7/02/2025	9:00:00	64.6	0	12	1	25.6	22	4
SYS 01465	8/02/2025	9:00:00	70.3	0	49	0.5	24.8	94	0.3
SYS 01465	9/02/2025	9:00:00	73.4	0	40	1	24.3	170	2.5
SYS 01465	10/02/2025	9:00:00	71.8	0	28	0.8	24.1	168	2.5

SYS 01465	11/02/2025	9:00:00	70.4	0	29	0.5	23	82	0.5
SYS 01465	12/02/2025	9:00:00	69.3	0	47	0.8	23.6	87	1
SYS 01465	13/02/2025	9:00:00	67.8	0	23	1.3	25.6	359	2.8
SYS 01465	14/02/2025	9:00:00	78.8	0	20	0.5	24	231	0.3
SYS 01465	15/02/2025	9:00:00	65.5	0	28	0.8	22.8	138	3.3
SYS 01465	16/02/2025	9:00:00	45.9	0	14	1.5	17.5	200	7.5
SYS 01465	17/02/2025	9:00:00	47.1	0	16	1.3	18.3	192	3.8
SYS 01465	18/02/2025	9:00:00	58.2	0	25	0.8	20.5	8	1.8
SYS 01465	19/02/2025	9:00:00	63.8	0	32	1	23	80	1
SYS 01465	20/02/2025	9:00:00	69.4	0	21	1	20.7	137	3.8
SYS 01465	21/02/2025	9:00:00	61.3	0	17	0.8	21.6	253	1.5
SYS 01465	22/02/2025	9:00:00	87.7	0	18	0.3	21.7	311	1.3
SYS 01465	23/02/2025	9:00:00	66.4	0	20	0.8	23.2	16	2.5
SYS 01465	24/02/2025	9:00:00	68.1	0	34	0.5	25.6	29	2.3
SYS 01465	25/02/2025	9:00:00	90.5	0	18	0.8	19.9	187	1
SYS 01465	26/02/2025	9:00:00	69.2	0	40	0.8	23.7	98	1.8
SYS 01465	27/02/2025	9:00:00	76.9	0	19	0.5	24.6	209	2.5
SYS 01465	28/02/2025	9:00:00	63.9	0	40	0.3	26.9	24	1.3
SYS 01465	1/03/2025	9:00:00	69.9	0	23	0.8	24.3	278	1
SYS 01465	2/03/2025	9:00:00	83	0	28	0.5	23.8	115	2
SYS 01465	3/03/2025	9:00:00	66.4	0	14	1.3	22.5	184	2.8
SYS 01465	4/03/2025	9:00:00	95.7	0	14	0.8	20.9	181	2.5
SYS 01465	5/03/2025	9:00:00	67.3	0	19	1	23.6	92	4.8
SYS 01465	6/03/2025	9:00:00	80.9	0	31	0.8	21.8	23	2.5
SYS 01465	7/03/2025	9:00:00	95.3	0	14	0.8	20.2	196	2.8
SYS 01465	8/03/2025	9:00:00	74.1	0	17	1.3	22.6	164	4
SYS 01465	9/03/2025	9:00:00	80.2	0	42	0.5	22.9	200	1.8
SYS 01465	10/03/2025	9:00:00	75.8	0	48	0.3	23.3	163	0.5
SYS 01465	11/03/2025	9:00:00	97.6	0	19	0.5	20.2	121	2
SYS 01465	12/03/2025	9:00:00	83	0	58	0.5	22.3	198	0.5
SYS 01465	13/03/2025	9:00:00	88.4	0	17	0.8	21.8	310	0.8
SYS 01465	14/03/2025	9:00:00	75.9	0	49	0.3	24.9	152	0.5
SYS 01465	15/03/2025	9:00:00	71.5	0	75	0.8	26	330	1
SYS 01465	16/03/2025	9:00:00	52.5	0	19	0.3	29.2	0	1.3
SYS 01465	17/03/2025	9:00:00	45.3	0	33	1.3	19.4	118	3
SYS 01465	18/03/2025	9:00:00	54.6	0	43	0.5	19.6	214	0.8
SYS 01465	19/03/2025	9:00:00	69.5	0	18	0.8	20.6	114	1.3
SYS 01465	20/03/2025	9:00:00	77.4	0	86	0.5	22.8	271	0
SYS 01465	21/03/2025	9:00:00	97	0	23	0.3	20.8	357	0.3
SYS 01465	22/03/2025	9:00:00	80	0	16	0.8	20.4	187	2
SYS 01465	23/03/2025	9:00:00	97.3	0.2	11	0.8	19.6	207	1.8
SYS 01465	24/03/2025	9:00:00	97.5	0	20	0.5	20.9	220	1.5
SYS 01465	25/03/2025	9:00:00	74.9	0	28	0.8	23.7	134	3.5
SYS 01465	26/03/2025	9:00:00	98.2	0	20	0.3	20.5	256	0.5
SYS 01465	27/03/2025	9:00:00	81	0	12	0.8	20.4	217	1.3
SYS 01465	28/03/2025	9:00:00	97.9	0	30	0.5	19.9	155	0.8
SYS 01465	29/03/2025	9:00:00	97.9	0.2	16	1	18.7	171	2.3
SYS 01465	30/03/2025	9:00:00	73.2	0	11	2	22.4	207	5.5
SYS 01465	31/03/2025	9:00:00	68	0	15	1.8	21.4	196	4.5
SYS 01465	1/04/2025	9:00:00	58.4	0	13	1.5	19.8	203	6.3
SYS 01465	2/04/2025	9:00:00	68.4	0	13	1	17.2	246	2.5
SYS 01465	3/04/2025	9:00:00	71.1	0	25	0.3	18.1	301	0.3
SYS 01465	4/04/2025	9:00:00	69.3	0	26	0.5	20.3	166	1.5
SYS 01465	5/04/2025	9:00:00	45.5	0	26	0.5	19.9	236	1
SYS 01465	6/04/2025	9:00:00	62.4	0	37	0.5	16.9	286	0.8
SYS 01465	7/04/2025	9:00:00	52.3	0	8	0.5	19.6	356	1.8
SYS 01465	8/04/2025	9:00:00	64.7	0	18	0.5	18.5	240	2
SYS 01465	9/04/2025	9:00:00	78	0	23	0.8	18.8	96	1.8
SYS 01465	10/04/2025	9:00:00	98.1	0	21	0.3	16.3	303	0
SYS 01465	11/04/2025	9:00:00	77.2	0	21	0.5	19.3	282	0.5
SYS 01465	12/04/2025	9:00:00	69.3	0	15	1	21.7	219	2.3
SYS 01465	13/04/2025	9:00:00	86.7	0	22	0.5	19.8	168	1.3
SYS 01465	14/04/2025	9:00:00	85.3	0	23	0.3	18.6	269	0.8
SYS 01465	15/04/2025	9:00:00	65.9	0	18	1.3	19.8	192	4.8

SYS 01465	16/04/2025	9:00:00	55.6	0	11	1.5	18.9	211	7.5
SYS 01465	17/04/2025	9:00:00	60.3	0	18	1.5	20.2	214	6.3
SYS 01465	18/04/2025	9:00:00	63.7	0	11	0.3	18.2	245	3.3
SYS 01465	19/04/2025	9:00:00	76.3	0	26	0.5	17.1	288	0.3
SYS 01465	20/04/2025	9:00:00	62.7	0	36	0.3	18.7	92	0
SYS 01465	21/04/2025	9:00:00	64.7	0	10	0.8	21	52	0.8
SYS 01465	22/04/2025	9:00:00	72.6	0	11	1	19.4	202	5
SYS 01465	23/04/2025	9:00:00	82.7	0	18	0.8	20.7	187	2.3
SYS 01465	24/04/2025	9:00:00	88	0	17	0.5	19.4	209	1.3
SYS 01465	25/04/2025	9:00:00	98.6	0	12	0.3	16.9	242	1.3
SYS 01465	26/04/2025	9:00:00	98.1	0	12	0.3	16.2	253	0.5
SYS 01465	27/04/2025	9:00:00	99.4	0	12	0.5	17.8	230	1.3
SYS 01465	28/04/2025	9:00:00	69.3	0	12	1.5	19.9	209	3.8
SYS 01465	29/04/2025	9:00:00	84.7	0	23	0.5	17.4	299	1
SYS 01465	30/04/2025	9:00:00	80.4	0	14	1	16.4	198	5.8
SYS 01465	1/05/2025	9:00:00	65.7	0	11	1.8	15.2	193	5.5
SYS 01465	2/05/2025	9:00:00	70.9	0	11	1	15.3	227	3
SYS 01465	3/05/2025	9:00:00	71.3	0	9	1	15.8	234	3.5
SYS 01465	4/05/2025	9:00:00	87.9	0	32	0.3	13.9	190	0.8
SYS 01465	5/05/2025	9:00:00	98.1	0	19	0.3	14.9	311	0.5
SYS 01465	6/05/2025	9:00:00	98.3	0	42	0.3	15	105	0.3
SYS 01465	7/05/2025	9:00:00	93.7	0	40	0.5	15.2	359	1.3
SYS 01465	8/05/2025	9:00:00	54.7	0	17	1.3	17.5	244	2.5
SYS 01465	9/05/2025	9:00:00	70.4	0	43	0.3	14.5	233	2.5
SYS 01465	10/05/2025	9:00:00	81.8	0	15	0.5	15.3	206	1.5
SYS 01465	11/05/2025	9:00:00	93.7	0	27	0.3	15.5	308	0.8
SYS 01465	12/05/2025	9:00:00	96.5	0	14	0.5	17.1	227	1
SYS 01465	13/05/2025	9:00:00	94.4	0	21	0.3	17.5	299	0.8
SYS 01465	14/05/2025	9:00:00	97.7	0	19	0	13.1	260	0.8
SYS 01465	15/05/2025	9:00:00	91.5	0	17	0.5	15.7	131	0.5
SYS 01465	16/05/2025	9:00:00	91.3	0	8	0.8	16.3	229	3
SYS 01465	17/05/2025	9:00:00	97.6	0	23	0.5	13.9	211	0.8
SYS 01465	18/05/2025	9:00:00	69.8	0	8	0.8	14.3	227	4
SYS 01465	19/05/2025	9:00:00	68.9	0	11	1.3	13.6	202	6.5
SYS 01465	20/05/2025	9:00:00	82.3	0	15	0.8	14.4	186	2.3
SYS 01465	21/05/2025	9:00:00	97.4	0	16	1	15.3	165	2
SYS 01465	22/05/2025	9:00:00	98.2	0	18	0.5	16.8	136	1.3
SYS 01465	23/05/2025	9:00:00	98.8	0	13	0.5	18.3	15	1
SYS 01465	24/05/2025	9:00:00	75.8	0	24	0.5	15	237	1
SYS 01465	25/05/2025	9:00:00	86.5	0	33	0.5	10.9	359	0.5
SYS 01465	26/05/2025	9:00:00	94.2	0	16	0.5	9.9	359	0.5
SYS 01465	27/05/2025	9:00:00	55.3	0	13	1.3	15.5	329	4
SYS 01465	28/05/2025	9:00:00	60.6	0	11	0.5	14	359	2
SYS 01465	29/05/2025	9:00:00	61	0	10	1.3	14	249	4.3
SYS 01465	30/05/2025	9:00:00	78.6	0	9	0.3	12.4	233	2.5
SYS 01465	31/05/2025	9:00:00	89.8	0	57	0.3	12.3	118	0.8